



Invitation for Bid

Sealed Bid Sale

Sale Number

38-4630

ELECTRONIC TEST EQUIPMENT, MHE, & VEHICLES

Please be aware that the inventory is not being sold by a DRMO.
Any questions or comments please contact the
Sales Contracting Officer, Linda Lamphear at (269) 961-7400.

Bid Opening Date and Time
September 1, 2004; at 9:00 A.M. (EDST)

Inspection Period:
August 25-27, 2004

Payment in Full Must Be
Received Prior to
Removal/Release of Property

Department of Defense
Defense Reutilization and Marketing Service
National Sales Office

Invitation For Bid
Sale Number
38-4630

Bid Opening Date
September 1, 2004; at 9:00 A.M. (EDST)

Bids will be accepted until opening date and time set for Bid opening.
Bids and all required documentation received after the bid opening date
may be determined late and not considered.

The bid acceptance period must be at least 10 days from the bid opening
or the bid will be considered nonresponsive.

Mail bids to:
Defense Reutilization and Marketing Service
National Sales Office - Bids
74 Washington Ave N STE 6
Battle Creek, MI 49017-3092

Fax bids to:
(269) 961-7568

Place bids electronically and view bid results at:
<http://www.drms.dla.mil>

Sales Contracting Officer (SCO) for this sale is:
Linda Lamphear, (269) 961-7400

Office Hours: 7:00 a.m. to 3:30 p.m. (EST/EDST)
Monday - Friday

PRIOR TO BID OPENING DATE:

For current and future sales information contact 1-888-352-9333. For How to Bid information contact the
Contracting Officer at (269) 961-7400

AFTER BID OPENING DATE:

For High Bid Information, which will not be furnished to bidders until after awards have been made (see
paragraph 3, page 3 of Sale by Reference), payments and refunds contact 1-888-352-9333

Unofficial abstracts are available for download/viewing at the DRMS Web site: www.drms.dla.mil

EXCHANGE SALE: This property is being offered in accordance with the exchange/sale provisions of Section
201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

Payments

All payments must be made in U.S. currency or guaranteed instrument payable in
U.S. dollars to the Treasurer of the United States.

For additional information refer to the payment article in the Conditions of Sale in this catalog.

Credit cards accepted: VISA, Discover, MasterCard and American Express

Table of Contents

	Page Number
Item Description Index.....	2
List of Sale Items	5
Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)	22
Supply Condition Codes/Demilitarization Codes/Requirements.....	24
Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)	25
Articles	26
Inspection Dates and Times	28
Loading Table/Notes	28
Sale of Government Property Item Bid and Award Page	29
Credit Card Information	31
Letter of Authorization (DRMS Form 1646 Apr 2002).....	32
End Use Certificate (DLA Form 1822).....	33
Instructions for Completing DLA Form 1822.....	35
Change of Address Form.....	39

Item Description Index

<u>Description</u>	<u>Item Number</u>
ANALYZER	98
ANALYZER, DIGITAL DATA, ELECTRONIC TEST	32
ANALYZER, SPECTRUM	18
ANALYZER, SPECTRUM	19
ANALYZER, SPECTRUM	20
ANALYZER, SPECTRUM	21
ANALYZER, SPECTRUM	22
ANALYZER, SPECTRUM	23
ANALYZER, SPECTRUM	37
ANALYZER, SPECTRUM	38
ANALYZER, SPECTRUM	76
ANALYZER, SPECTRUM	95
ANALYZER, SPECTRUM	111
ANALYZER, SPECTRUM	112
ANALYZER, SPECTRUM	116
COUNTER, ELECTRONIC, DIGITAL READOUT	82
COUNTER, ELECTRONIC, DIGITAL READOUT	92
GENERATOR, FUNCTION, ELECTRONIC TEST	33
GENERATOR, FUNCTION, ELECTRONIC TEST	34
GENERATOR, FUNCTION, ELECTRONIC TEST	124
GENERATOR, PULSE	79
GENERATOR, PULSE	81
GENERATOR, PULSE	91
GENERATOR, PULSE	96
GENERATOR, PULSE	102
GENERATOR, PULSE	103
GENERATOR, SIGNAL	35
GENERATOR, SIGNAL	24
GENERATOR, SIGNAL	36
GENERATOR, SIGNAL	72
GENERATOR, SIGNAL	73
GENERATOR, SIGNAL	80
GENERATOR, SIGNAL	88
GENERATOR, SIGNAL	89
GENERATOR, SIGNAL	99
GENERATOR, SIGNAL	100
GENERATOR, SIGNAL	105
GENERATOR, SIGNAL	106
GENERATOR, SIGNAL	107
GENERATOR, SIGNAL	110
GENERATOR, SIGNAL	117
GENERATOR, SIGNAL	122
GENERATOR, SIGNAL	123
GENERATOR, SWEEP	58
GENERATOR, SWEEP	87
METER, NOISE LEVEL	90
MODULATION SECTION	75
MODULATION SECTION	115

MULTIMETER	109
OSCILLOSCOPE	1
OSCILLOSCOPE	2
OSCILLOSCOPE	3
OSCILLOSCOPE	4
OSCILLOSCOPE	5
OSCILLOSCOPE	7
OSCILLOSCOPE	8
OSCILLOSCOPE	9
OSCILLOSCOPE	10
OSCILLOSCOPE	11
OSCILLOSCOPE	12
OSCILLOSCOPE	13
OSCILLOSCOPE	14
OSCILLOSCOPE	15
OSCILLOSCOPE	39
OSCILLOSCOPE	40
OSCILLOSCOPE	41
OSCILLOSCOPE	42
OSCILLOSCOPE	43
OSCILLOSCOPE	44
OSCILLOSCOPE	45
OSCILLOSCOPE	46
OSCILLOSCOPE	71
OSCILLOSCOPE	74
OSCILLOSCOPE	77
OSCILLOSCOPE	83
OSCILLOSCOPE	84
OSCILLOSCOPE	85
OSCILLOSCOPE	104
OSCILLOSCOPE	118
OSCILLOSCOPE	119
OSCILLOSCOPE	120
OSCILLOSCOPE	125
OSCILLOSCOPE	126
OSCILLOSCOPE	127
OSCILLOSCOPE	128
OSCILLOSCOPE	129
OSCILLOSCOPE	130
OSCILLOSCOPE	131
OSCILLOSCOPE, MAINFRAME	16
OSCILLOSCOPE, MAINFRAME	17
OSCILLOSCOPE, MAINFRAME	78
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	47
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	48
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	49
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	50
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	51
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	52
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	53
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	54
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	55

PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	56
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	57
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	59
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	60
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	61
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	62
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	63
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	64
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	65
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	66
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	67
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	68
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST	69
REFLECTOMETER, METALLIC TIME DOMAIN	6
SOLDERING-DESOLDERING STATION	86
SPORT UTILITY VEHICLE	134
SYNTHESIZER, ELECTRONIC FREQUENCY	25
SYNTHESIZER, ELECTRONIC FREQUENCY	93
SYNTHESIZER, ELECTRONIC FREQUENCY	94
SYNTHESIZER, ELECTRONIC FREQUENCY	113
TEST SET GROUP, ELECTRONIC SYSTEMS	70
TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT	97
TEST SET, SEMICONDUCTOR DEVICE	121
TEST SET, TELECOMMUNICATION SYSTEM	26
TEST SET, TELECOMMUNICATION SYSTEM	27
TEST SET, TELECOMMUNICATION SYSTEM	28
TEST SET, TELECOMMUNICATION SYSTEM	29
TEST SET, TELECOMMUNICATION SYSTEM	30
TEST SET, TELECOMMUNICATION SYSTEM	31
THERMOMETER, SELF-INDICATING, DIGITAL	108
UTILITY VEHICLE, TITAN	137
VAN, CARGO	136
VAN, PANEL	135
VAN, PASSENGER	132
VAN, PASSENGER	133
WAVEFORM RECORDER	101
WAVEFORM RECORDER	114

IT HAS BEEN DETERMINED THAT THIS PROPERTY IS NO LONGER NEEDED BY THE FEDERAL GOVERNMENT.

Items 1 - 136 are located at 6730 Bay Meadow Drive, Glen Burnie, MD

Item 1. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B017333. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 2. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B022127. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 3. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B021720. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 4. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B021681. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 5. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B021673. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 6. REFLECTOMETER, METALLIC TIME DOMAIN:

Tektronix, Inc., model 1503, serial number B094407, analyzer. Single phase; single item with housing. 117VAC/12VDC. Frequency rating: 48 Hz and 410 Hz. Maximum measured length: 50,000 feet. Designed for testing long runs of coaxial or twisted-pair cables through time domain reflectometry. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-036-7821
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 18 lbs
Acquisition Cost: \$5,457.00 1 EACH

Item 7. OSCILLOSCOPE:

Tektronix, Inc., model 2225, serial number B010639. DC; viewing screen voltage rating: 12.6 kilovolts. Voltage rating: 95/250. Frequency rating: 48 hz/440hz. Used to perform measurements associated with dual time base scopes. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$1,488.09 1 EACH

Item 8. OSCILLOSCOPE:

Tektronix, Inc., model 2225, serial number B010733. DC; viewing screen voltage rating: 12.6 kilovolts. Voltage rating: 95/250. Frequency rating: 48 hz/440hz. Used to perform measurements associated with dual time base scopes. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$1,488.09 1 EACH

Item 9. OSCILLOSCOPE:

Tektronix, Inc., model 2245A, serial number B025639. Overall dimensions: 17.5"L x 14.2"W x 6.4"H.

NSN: 6625-01-325-8616
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,732.00 1 EACH

Item 10. OSCILLOSCOPE:

Tektronix, Inc., model 2245A, serial number B029086. Overall dimensions: 17.5"L x 14.2"W x 6.4"H.

NSN: 6625-01-325-8616
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,732.00 1 EACH

Item 11. OSCILLOSCOPE:

Tektronix, Inc., model 2245A, serial number 628004. Overall dimensions: 17.5"L x 14.2"W x 6.4"H.

NSN: 6625-01-325-8616
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,732.00 1 EACH

Item 12. OSCILLOSCOPE:

Tektronix, Inc., model 2245A, serial number B023431. Overall dimensions: 17.5"L x 14.2"W x 6.4"H.

NSN: 6625-01-325-8616
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,732.00 1 EACH

Item 13. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B021887. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 14. OSCILLOSCOPE:

Tektronix, Inc., model 2236, serial number B023100. Voltage rating: 100/132 VAC. Frequency rating: 48/440 Hz. DC to 100 MHz bandwidth; integrated counter/timer; 2mV sensitivity; advanced trigger system; delayed sweep measurements. 100 MHz counter/timer/DMM is integrated into the scope's vertical, horizontal and trigger systems. This feature simplifies setups by allowing consolidated set-ups and combinations of measurements; heightens measurement confidence and expands the scope's versatility. Overall dimensions: 17"L x 10.8"W x 8.3"H.

NSN: 6625-01-245-8406
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 28 lbs
Acquisition Cost: \$3,494.00 1 EACH

Item 15. OSCILLOSCOPE:

Hewlett Packard Company, model 5402A, serial number 2934A03190. Overall dimensions: 17"L x 13"W x 8"H.

FSC: 6625
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$11,980.00 1 EACH

Item 16. OSCILLOSCOPE, MAINFRAME:

Tektronix, Inc., model 5110, serial number 700404. Voltage rating: 100/110/120/200/240 VAC. Frequency rating: 48/440 Hz. Accommodates three plug-ins from Tektronix 5100 series; channels are determined by two of the plug-ins. 2 MHz bandwidth. Overall dimensions: 19"L x 17"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$3,090.00 1 EACH

Item 17. OSCILLOSCOPE, MAINFRAME:

Tektronix, Inc., model 5110, serial number B141383. Voltage rating: 100/110/120/200/240 VAC. Frequency rating: 48/440 Hz. Accommodates three plug-ins from Tektronix 5100 series; channels are determined by two of the plug-ins. 2 MHz bandwidth. Overall dimensions: 19"L x 17"W x 5"H.

NSN: 6625-00-583-6432
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$3,090.00 1 EACH

Item 18. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number A03122, plug-in unit. Frequency range rating: 0.020 to 40.000 MHz. Cathode ray tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, and terminal interaction. Voltage rating: 115 VAC nominal or 230 VAC nominal. Frequency rating: 48/440 Hz or 48/66 Hz. Single phase. Frequency calibration accuracy range in percent: 0.0 to 0.2. Overall dimensions: 25"D x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 88 lbs
Acquisition Cost: \$44,868.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 19. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 1750A04224, plug-in unit. Frequency range rating: 0.020 to 40.000 MHz. Cathode ray tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, and terminal interaction. Voltage rating: 115 VAC nominal or 230 VAC nominal. Frequency rating: 48/440 Hz or 48/66 Hz. Single phase. Frequency calibration accuracy range in percent: 0.0 to 0.2. Overall dimensions: 25"D x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 88 lbs
Acquisition Cost: \$44,868.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 20. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 2504A05529, plug-in unit. Frequency range rating: 0.020 to 40.000 MHz. Cathode ray tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, and terminal interaction. Voltage rating: 115 VAC nominal or 230 VAC nominal. Frequency rating: 48/440 Hz or 48/66 Hz. Single phase. Frequency calibration accuracy range in percent: 0.0 to 0.2. Overall dimensions: 25"D x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 88 lbs
Acquisition Cost: \$67,302.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 21. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 2718A06000, plug-in unit. Frequency range rating: 0.020 to 40.000 MHz. Cathode ray tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, and terminal interaction. Voltage rating: 115 VAC nominal or 230 VAC nominal. Frequency rating: 48/440 Hz or 48/66 Hz. Single phase. Frequency calibration accuracy range in percent: 0.0 to 0.2. Overall dimensions: 25"D x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 88 lbs
Acquisition Cost: \$67,302.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 22. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585A, serial number 2504A05557, plug-in unit. Frequency range rating: 0.020 to 40.000 MHz. Cathode ray tube displayed information: Frequency accuracy, dynamic range, internal calibration, swept response measurements, and terminal interaction. Voltage rating: 115 VAC nominal or 230 VAC nominal. Frequency rating: 48/440 Hz or 48/66 Hz. Single phase. Frequency calibration accuracy range in percent: 0.0 to 0.2. Overall dimensions: 25"D x 16.75"W x 9"H.

NSN: 6625-01-118-9963
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 88 lbs
Acquisition Cost: \$67,302.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 23. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 8569B, serial number 2433A01860. Frequency range rating: 0.010 to 22.000 GHz. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 21.8"L x 16.8"W x 7"H.

NSN: 6625-01-263-9197
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$29,075.00 1 EACH

Item 24. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8656B, serial number 3334U14075. Overall dimensions: 20"L x 18"W x 5"H.

NSN: 6625-01-209-2468
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 40 lbs
Acquisition Cost: \$7,135.26 1 EACH

Item 25. SYNTHESIZER, ELECTRONIC FREQUENCY:

Hewlett Packard Company, model 3335A, serial number 2516A04074. Internal storage, up to ten front panel settings; automatic frequency sweep; SLMS tracking generator. Frequency range: 200 Hz to 80 MHz. Resolution: 0.001 Hz. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-089-6304
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$10,644.60 1 EACH

Item 26. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 7406. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 27. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 7405. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 28. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 0332. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 29. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 3754. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 30. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 136. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 31. TEST SET, TELECOMMUNICATION SYSTEM:

Acterna LLC, model DS10, serial number 3734. Communication analyzer performs many data circuit tests and functions including error analysis, message generation and analysis, data trapping, distortion and delay measurements, clock frequency measurements and voice frequency measurements. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 13.5"D x 17.25"W x 5.25"H.

NSN: 6625-01-246-5550
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$9,710.00 1 EACH

Item 32. ANALYZER, DIGITAL DATA, ELECTRONIC TEST:

Hewlett-Packard Company, model 4952A, serial number 2838A03506, data communication WAN protocol analyzer. Cathode ray tube indicator. Voltage rating: 115 VAC. Frequency rating: 60 Hz. Single phase. Overall dimensions: 13.5"D x 11"W x 6.3"H.

NSN: 6625-01-275-7341
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 16 lbs
 Acquisition Cost: \$4,950.00 1 EACH

Item 33. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett-Packard Company, model 3325A, serial number 1748A06428. Solid state circuitry. Nain-synthesizer function generator. Sine, square, triangle, negative and positive ramps. Power rating: 100/120/220/240 VAC, 48/66 Hz, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$4,400.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 34. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett-Packard Company, model 3325A, serial number 1748A06437. Solid state circuitry. Nain-synthesizer function generator. Sine, square, triangle, negative and positive ramps. Power rating: 100/120/220/240 VAC, 48/66 Hz, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$4,400.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 35. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8665A, serial number 3203A00604. Frequency range rating: 0.001 to 4200.000 MHz. Voltage rating: 100/440 VAC. Frequency rating: 44/440 Hz. Single phase. Front panel mode select key. Overall dimensions: 24.600"L x 16.8"W x 7"H.

NSN: 6625-01-379-9214
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 78 lbs
 Acquisition Cost: \$20,000.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 36. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8664A, serial number 3546A01069. Functional description: 3 GHz bench mounted AM and FM signal generator. Frequency range rating: 0.100 to 3000.000 MHz. Calibrated signal output range: P13.0 to M139.9 dBm. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 25"L x 17"W x 7"H

NSN: 6625-01-379-5878
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 65 lbs
 Acquisition Cost: \$500.00 1 EACH

Item 37. ANALYZER, SPECTRUM:

Tektronix, Inc., model 494A/P, serial number B010123. Frequency range rating: 0.000010 to 3.000 kHz. Voltage rating: 100/220 VAC. Frequency rating: 48/440 Hz. Two phase. Overall dimensions: 29.6"L x 12.9"W x 6.9"H

NSN: 6625-01-261-8107
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acquisition Cost: \$25,811.00 1 EACH

Item 38. ANALYZER, SPECTRUM:

Tektronix, Inc., model 494A/P, serial number B010229. Frequency range rating: 0.000010 to 3.000 kHz. Voltage rating: 100/220 VAC. Frequency rating: 48/440 Hz. Two phase. Overall dimensions: 29.6"L x 12.9"W x 6.9"H

NSN: 6625-01-261-8107
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 25 lbs
 Acquisition Cost: \$25,811.00 1 EACH

Item 39. OSCILLOSCOPE:

Tektronix Inc., model 475A, serial number B263524. Screen size: 8 x 10 centimeters. Horizontal and vertical sweep circuits. Expanded sweep provided. Voltage rating: 120/240 VAC. Frequency rating: 48/440 Hz. Two phase. Portable. Overall dimensions: 18.1"D x 12.9"W x 7.5"H.

NSN: 6625-00-618-4902
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$4,514.00 1 EACH

Item 40. OSCILLOSCOPE:

Tektronix Inc., model 2337, serial number B012897. Horizontal sweep circuit. Sweep frequency range: 0.0 to 100.0 MHz. AC and DC. Voltage rating: 115 volts nominal. Frequency rating: 60 Hz nominal. Overall dimensions: 13"L x 11"W x 4"H.

NSN: 6625-01-147-9894
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$5,600.00 1 EACH

Item 41. OSCILLOSCOPE:

Tektronix, Inc., model 2236, serial number B016568. Voltage rating: 100/132 VAC. Frequency rating: 48/440 Hz. DC to 100 MHz bandwidth; integrated counter/timer; 2mV sensitivity; advanced trigger system; delayed sweep measurements. 100 MHz counter/timer/DMM is integrated into the scope's vertical, horizontal and trigger systems. This feature simplifies setups by allowing consolidated set-ups and combinations of measurements; heightens measurement confidence and expands

the scope's versatility. Overall dimensions: 17"L x 10.8"W x 8.3"H.

NSN: 6625-01-245-8406
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F

Estimated Weight: 28 lbs
Acquisition Cost: \$3,494.00 1 EACH

Item 42. OSCILLOSCOPE:

Tektronix Inc., model 212, serial number B056812. Horizontal and vertical sweep circuits. AC or DC. Voltage rating: 110/126. Frequency rating: 58/62 Hz. Overall dimensions: 9.5"L x 5.3"W x 3"H.

NSN: 6625-01-061-5519
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F

Estimated Weight: 5 lbs
Acquisition Cost: \$2,241.00 1 EACH

Item 43. OSCILLOSCOPE:

Tektronix Inc., model 2465, serial number B052715. Two beam. Sweep circuits included. Amplifier deflection sensitivity provision provided. Voltage rating: 120/240 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 13"L x 16"W x 6"H.

NSN: 6625-01-159-3106
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F

Estimated Weight: 15 lbs
Acquisition Cost: \$5,470.00 1 EACH

Item 44. OSCILLOSCOPE:

Tektronix Inc., model 2230, serial number B032054. Overall dimensions: 16"L x 13"W x 5"H.

NSN: 6625-01-233-2753
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 15 lbs
Acquisition Cost: \$4,950.00 1 EACH

Item 45. OSCILLOSCOPE:

Tektronix Inc., model 485, serial number B155244. Screen size 8 by 10 cm. Horizontal and vertical sweep circuits included. Sweep frequency range: 0.0 to 350.0 MHz. Trigger sweep polarity switch included. Amplifier deflection sensitivity provision provided. Frequency response rating provided. X-Axis frequency response rating: 1.0 MHz nominal. Y-Axis frequency rating: 1.0 MHz nominal. Calibrated screen scale included. Graduation interval: graduated in V/CM both axes. Voltage rating: 90/136/180/272 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 18.5"L x 12"W x 6.6"H.

NSN: 6625-00-548-8181
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 20 lbs
Acquisition Cost: \$8,301.00 1 EACH

Item 46. OSCILLOSCOPE:

Tektronix Inc., model 2337, serial number B012667. Horizontal sweep circuit. Sweep frequency range: 0.0 to 100.0 MHz. AC and DC. Voltage rating: 115 volts nominal. Frequency rating: 60 Hz nominal. Overall dimensions: 13"L x 11"W x 4"H.

NSN: 6625-01-147-9894
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F

Estimated Weight: 20 lbs
Acquisition Cost: \$2,500.00 1 EACH

Item 47. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B103408, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 48. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B053335, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 49. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number 103413, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 50. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B063416, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 51. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B062937, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 52. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B063252, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 53. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number B065973, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 54. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number 103424, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A

Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 55. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7B80, serial number 103405, time base. Recommended for use with the 7700, 7800, and 7900 series mainframes to provide optimum bandwidth/sweep speed compatibility. CRT readout. Overall dimensions: 14.5"D x 2.8"W x 5"H.

NSN: 6625-01-032-4343
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$1,490.00 1 EACH

Item 56. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7A19, serial number B038327, single trace amplifier. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth. Designed primarily for use with the 7700, and 7900 series mainframes Also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.625"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$3,100.00 1 EACH

Item 57. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7A19, serial number B040424, single trace amplifier. Polarity of display is selectable, either normal or inverted. High performance, wide bandwidth. Designed primarily for use with the 7700, and 7900 series mainframes Also compatible with all 7000 series Tektronix mainframe oscilloscopes. Overall dimensions: 13.7"L x 2.625"W x 5"H.

NSN: 6625-00-506-1121
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$3,100.00 1 EACH

Item 58. GENERATOR, SWEEP:

Tektronix Inc., model 7B92A, serial number B111330. Solid state circuitry. Frequency per channel: 500 MHz nominal 1st and 2nd operating channels. Frequency adjustment type: stepped. Cathode ray tube indicator. Overall dimensions: 14"L x 12"W x 5"H.

NSN: 6625-01-027-0265
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 3 lbs
Acquisition Cost: \$3,640.00 1 EACH

Item 59. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129327, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 60. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129248, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 61. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129338, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 62. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B144427, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 63. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B144451, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 64. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129328, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 65. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129304, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 66. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B144442, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 67. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B124337, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 68. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B129335, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 3 lbs
Acquisition Cost: \$2,380.00 1 EACH

Item 69. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC

TEST:

Tektronix Inc., model 7A24, serial number B144424, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 3 lbs
 Acquisition Cost: \$2,380.00 1 EACH

Item 70. TEST SET GROUP, ELECTRONIC SYSTEMS:

Hewlett Packard Company, model 3789B, serial number 2937U00882. Test set offers comprehensive error measuring capability for digital transmission. Overall dimensions: 21"L x 17"W x 8"H.

NSN: 6625-01-311-9110
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 35 lbs
 Acquisition Cost: \$12,210.00 1 EACH

Item 71. OSCILLOSCOPE:

Hewlett Packard Company, model 54110D, serial number 2616A00401. 1 GHz, color digitizing. Overall dimensions: 25.25"L x 16.76"W x 9.220"H.

NSN: 6625-01-255-3322
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 50 lbs
 Acquisition Cost: \$29,881.00 1 EACH

Item 72. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8660B, serial number 1439A01018. Bench mount. Frequency range rating: 10.0 to 999.999 kHz and 1.0 to 1300.000 MHz. Includes plug-ins, serial numbers 2445A02013 and 2341A02471. Overall dimensions: 22"L x 17"W x 7"H.

NSN: 6625-01-011-2491
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 65 lbs
 Acquisition Cost: \$6,362.00 1 EACH

Item 73. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8165A, serial number 2852G04241. Frequency range rating: 1.000 to 50.000 MHz. Frequency band quantity: 2. Output impedance rating: 50.0 ohms nominal. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/66 Hz. Table mount. Programmable. Overall dimensions: 16.8"L x 16.6"W x 5.2"H.

NSN: 6625-01-111-2225
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acquisition Cost: \$8,337.00 1 EACH

Item 74. OSCILLOSCOPE:

Tektronix Inc., model 7104, serial number 100259. Horizontal and sweep circuits. Sweep frequency range: 0.0 to 350.0 MHz. Voltage rating: 90/250 VAC. Frequency rating: 48/440 Hz. Includes the following plug-in units: 1 amplifier, 1 dual trace amplifier, 1 delaying time base, and 1 time base. Overall dimensions: 23.5"L x 12"W x 13.6"H.

NSN: 6625-01-114-0480
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 44 lbs
 Acquisition Cost: \$32,554.00 1 EACH

Item 75. MODULATION SECTION:

Hewlett-Packard Company, model 8663A, serial number 2706A01067. Overall dimensions: 25"L x 17"W x 7"H.

NSN: 6625-01-138-8303
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used Condition Code A
 Estimated Weight: 50 lbs
 Acquisition Cost: \$49,114.00 1 EACH

Item 76. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3588A, serial number 3005A00736. Overall dimensions: 24.8"L x 16.75"W x 8.75"H.

NSN: 6625-01-348-3955
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 40 lbs
 Acquisition Cost: \$20,624.00 1 EACH

Item 77. OSCILLOSCOPE:

Tektronix Inc., model R7704, serial number B082014. A 4-plug-in compartment general purpose 175 MHz mainframe; compatible with all Tektronix 7000 series plug-ins. Rack mount. Sweep frequency range: 0.00 to 50.00 Hz. AC/DC. 115 volt, 60 Hz, single phase, 2.8 amps. Rack mount. Overall dimensions: 22.4"L x 19"W x 7"H.

NSN: 6625-00-007-8487
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$8,150.00 1 EACH

Item 78. OSCILLOSCOPE MAINFRAME:

Tektronix Inc., model 7603, serial number B309753. Voltage rating: 100/110/120/200/220/240 VAC. Frequency rating: 50/400 Hz. Accommodates three plug-ins from Tektronix 7000 series. Overall dimensions: 24"L x 11.4"W x 8.7"H.

NSN: 6625-00-261-5127
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$4,200.00 1 EACH

Item 79. GENERATOR, PULSE:

Hewlett Packard Company, model 8116A, serial number 2708A03670. Solid state circuit construction. Frequency per channel: 1.0 MHz and 50.0 MHz. Operating frequency: 48 Hz/440 Hz. Operating voltage: 100 VAC/240 VAC. Overall dimensions: 16.6"L x 8.36"W x 3.5"H.

NSN: 6625-01-161-0612
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 13 lbs
 Acquisition Cost: \$4,233.00 1 EACH

Item 80. GENERATOR, SIGNAL:
 Hewlett Packard Company, model 3312A, serial number 1432A05120. Frequency range rating: 0.010 to 10.000 kHz. Overall dimensions: 14.875"L x 8.5"W x 4"H.

NSN: 6625-01-028-4989
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 15 lbs
 Acquisition Cost: \$900.00 1 EACH

Item 81. GENERATOR, PULSE:
 Hewlett Packard Company, model 8116A, serial number 2537A03286. Solid state circuit construction. Frequency per channel: 1.0 MHz/50.0 MHz. Operating frequency: 48 Hz/440 Hz. Operating voltage: 100 VAC/240 VAC. Overall dimensions: 16.6"L x 8.36"W x 3.5"H.

NSN: 6625-01-161-0612
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 13 lbs
 Acquisition Cost: \$4,233.00 1 EACH

Item 82. COUNTER, ELECTRONIC, DIGITAL READOUT:
 Hewlett Packard Company, model 5316A, serial number 2448A06869. Measurement type: frequency, period average, ratio, time, time interval, and totalizing. Frequency range: 0.000 to 100.000 MHz overall. 8-digit numeric readout tube display. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 16.5"L x 8.375"W x 3.5"H.

NSN: 6625-01-181-4395
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acquisition Cost: \$4,537.00 1 EACH

Item 83. OSCILLOSCOPE:
 Tektronix, Inc., model 2225, serial number G104298. DC; viewing screen voltage rating: 12.6 kilovolts. Voltage rating: 95/250. Frequency rating: 48 hz/440hz. Used to perform measurements associated with dual time base scopes. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$1,488.09 1 EACH

Item 84. OSCILLOSCOPE:
 Tektronix, Inc., model 2225, serial number E227060. DC; viewing screen voltage rating: 12.6 kilovolts. Voltage rating: 95/250. Frequency rating: 48 hz/440hz. Used to perform measurements associated with dual time base scopes. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$1,488.09 1 EACH

Item 85. OSCILLOSCOPE:
 Tektronix, Inc., model 2235A, serial number B102304. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$3,432.00 1 EACH

Item 86. SOLDERING-DESOLDERING STATION:
 Pace, Inc., model 7008-0154, serial number 3823. 115 VAC, 112 watts, 60 Hz, single phase. Removable tip, cylindrical handle. Overall dimensions: 13"L x 10"W x 6"H.

NSN: 3439-01-332-2340
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acquisition Cost: \$645.00 1 EACH

Item 87. GENERATOR, SWEEP:
 Hewlett Packard Company, model 8444A0PT059, serial number 2325A07849. Solid state circuitry. Output wave shape: pulse and sweep. Rack installation. Nain-generator, tracking, swept signal source testing components of spectrum analyzer system; frequency rating: 0.5 to 15000 MHz; resolution 1.0 kHz. Overall dimensions: 18.4"L x 16.8"W x 3.5"H.

NSN: 6625-01-250-4271
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$8,100.00 1 EACH

Item 88. GENERATOR, SIGNAL:
 Hewlett-Packard Company, model 8165A, serial number 2030G01222. Frequency range rating: 1.000 to 50.000 MHz. Frequency band quantity: 2. Output impedance rating: 50.0 ohms nominal. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/66 Hz. Table mount. Programmable. Overall dimensions: 16.8"L x 16.6"W x 5.2"H.

NSN: 6625-01-111-2225
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 25 lbs
 Acquisition Cost: \$7,731.00 1 EACH

Item 89. GENERATOR, SIGNAL:
 Hewlett-Packard Company, model 8165A, serial number 2030G01213. Frequency range rating: 1.000 to 50.000 MHz.

Frequency band quantity: 2. Output impedance rating: 50.0 ohms nominal. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/66 Hz. Table mount. Programmable. Overall dimensions: 16.8"L x 16.6"W x 5.2"H.

NSN: 6625-01-111-2225
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$7,731.00 1 EACH

Item 90. METER, NOISE LEVEL:

Hewlett-Packard Company, model 8970A, serial number 2116A00263. LED digital display. Measurement range: 0.0 to 30 dB. 100/240 VAC, 48/66 Hz, single phase. Operating temperature: 0 to 55 degrees Celsius. Frequency resolution: 1 MHz. Overall dimensions: 18.8"L x 16.8"W x 5.75"H.

NSN: 6625-01-149-3890
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 34 lbs
Acquisition Cost: \$19,688.00 1 EACH

Item 91. GENERATOR, PULSE:

Hewlett-Packard Company, model 8160A, serial number 2445A00918. Solid state circuitry. Signal data type per channel: Input channel pulse, output channel error pulse, and trigger. Automatic operating control. 115 VAC. Overall dimensions: 20"L x 17"W x 8"H.

NSN: 6625-01-077-4947
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 46 lbs
Acquisition Cost: \$24,985.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

- PART 05-I: Military Munitions List Items (MLI)
- PART 05-J: Commerce Control List Items (CCLI)
- PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 92. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5730B, serial number 2649A01847. Measurement type: frequency, period average, and time interval. Frequency range: 0.0000001 to 100.000 MHz. 16-digit numeric readout tube display. 100/240 VAC, 48/66 Hz. Bench mount. Overall dimensions: 16.75"L x 18"W x 5.25"H.

NSN: 6625-01-165-3153
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$22,793.57 1 EACH

THE FOLLOWING ARTICLES APPLY:

- PART 05-I: Military Munitions List Items (MLI)
- PART 05-J: Commerce Control List Items (CCLI)
- PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 93. SYNTHESIZER, ELECTRONIC FREQUENCY:

Hewlett Packard Company, model 3335A, serial number 1640A00983. Internal storage, up to ten front panel settings; automatic frequency sweep; SLMS tracking generator. Frequency range: 200 Hz to 80 MHz. Resolution: 0.001 Hz. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-089-6304
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$10,644.60 1 EACH

Item 94. SYNTHESIZER, ELECTRONIC FREQUENCY:

Hewlett Packard Company, model 3335A, serial number 1640A00985. Internal storage, up to ten front panel settings; automatic frequency sweep; SLMS tracking generator. Frequency range: 200 Hz to 80 MHz. Resolution: 0.001 Hz. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-089-6304
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$10,644.60 1 EACH

Item 95. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 89411A, serial number 3335A00204. Overall dimensions: 20"L x 17"W x 3"H.

NSN: 6625-01-448-8576
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 10 lbs
Acquisition Cost: \$9,180.00 1 EACH

Item 96. GENERATOR, PULSE:

Hewlett-Packard Company, model 8160A, serial number 2105A00353. Solid state circuitry. Signal data type per channel: Input channel pulse, output channel error pulse, and trigger. Automatic operating control. 115 VAC. Overall dimensions: 20"L x 17"W x 8"H.

NSN: 6625-01-077-4947
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 46 lbs
Acquisition Cost: \$24,985.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

- PART 05-I: Military Munitions List Items (MLI)
- PART 05-J: Commerce Control List Items (CCLI)
- PART 05-K: Munitions List and Commerce Control

List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 97. TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT:

Hewlett Packard Company, model 4194A, serial number 2617J01333. Test type for which designed: impedance measurement. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Two phase. Special features: 7½ inch color CRT; program memory size 20 Kbytes of non-volatile memory; test frequency 100 Hz – 40 MHz at 0M cable length or 100 Hz – 15 MHz at 1M cable length. Overall dimensions: 24"L x 17"W x 9"H.

NSN: 6625-01-261-4601
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 25 lbs
 Acquisition Cost: \$19,028.00 1 EACH

Item 98. ANALYZER:

Hewlett Packard Company, model 8568A, serial number 2634A03101. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-128-7868
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$42,892.00 1 EACH

Item 99. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8656B, serial number 2838U06485. Overall dimensions: 20"L x 18"W x 5"H.

NSN: 6625-01-209-2468
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$7,135.26 1 EACH

Item 100. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8656B, serial number 2703U02099. Overall dimensions: 20"L x 18"W x 5"H.

NSN: 6625-01-209-2468
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$7,135.26 1 EACH

Item 101. WAVEFORM RECORDER:

Hewlett Packard Company, model 5180A, serial number 2820A01355. 100/240 VAC, 48/66 Hz, two channel. Overall dimensions: 23"L x 16.75"W x 5.625"H.

NSN: 6625-01-146-4907
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs

Acquisition Cost: \$31,095.00 1 EACH

Item 102. GENERATOR, PULSE:

Hewlett-Packard Company, model 8118A, serial number 3127G00327. Overall dimensions: 23"W x 5.5"H.

NSN: 6625-01-441-4355
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 39 lbs
 Acquisition Cost: \$25,000.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 103. GENERATOR, PULSE:

Hewlett-Packard Company, model 8160A, serial number 2547A01386. Solid state circuitry. Signal data type per channel: Input channel pulse, output channel error pulse, and trigger. Automatic operating control. 115 VAC. Overall dimensions: 20"L x 17"W x 8"H.

NSN: 6625-01-077-4947
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 46 lbs
 Acquisition Cost: \$24,985.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 104. OSCILLOSCOPE:

Hitachi, model V-1065A, serial number 108083. Overall dimensions: 16"L x 11"W x 6"H.

FSC: 6625
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$10,000.00 1 EACH

Item 105. GENERATOR, SIGNAL:

Hewlett Packard Company, model 3312A, serial number 2501A22055. Frequency range rating: 0.010 to 10.000 kHz. Overall dimensions: 14.875"L x 8.5"W x 4"H.

NSN: 6625-01-028-4989
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F

Estimated Weight: 15 lbs
 Acquisition Cost: \$900.00 1 EACH

Item 106. GENERATOR, SIGNAL:
 Hewlett Packard Company, model 3312A, serial number 2501A16052. Frequency range rating: 0.010 to 10.000 kHz. Overall dimensions: 14.875"L x 8.5"W x 4"H.

NSN: 6625-01-028-4989
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$900.00 1 EACH

Item 107. GENERATOR, SIGNAL:
 Hewlett Packard Company, model 3312A, serial number 1432A02125. Frequency range rating: 0.010 to 10.000 kHz. Overall dimensions: 14.875"L x 8.5"W x 4"H.

NSN: 6625-01-028-4989
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$900.00 1 EACH

Item 108. THERMOMETER, SELF-INDICATING, DIGITAL:
 Hewlett Packard Company, model 2804A, serial number 1744A00745. Measurement type: electronic circuit. Operating temperature range: -80.0 to 250.0 degrees Celsius. Calibrated to quartz sensors. Scale smallest increment: 0.0001 degree Celsius and 0.0010 degree Fahrenheit. Overall dimensions: 18"L x 9"W x 6"H.

NSN: 6685-01-078-5567
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 10 lbs
 Acquisition Cost: \$3,016.00 1 EACH

Item 109. MULTIMETER:
 Hewlett Packard Company, model 3465A, serial number 1621A12346. Electronic, solid state circuitry. Scale selection method: switch. Voltage: 86/254 VAC. Frequency rating: 48/440 Hz, single phase. Features include electrical overload protection, self-illumination facility, and built-in battery charger. Overall dimensions: 11"L x 8.375"W x 4"H.

NSN: 6625-01-039-7922
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 10 lbs
 Acquisition Cost: \$847.00 1 EACH

Item 110. GENERATOR, SIGNAL:
 Hewlett Packard Company, model 8656B, serial number 26703V02475. Overall dimensions: 20"L x 18"W x 5"H.

NSN: 6625-01-209-2468
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 25 lbs
 Acquisition Cost: \$7,135.26 1 EACH

Item 111. ANALYZER, SPECTRUM:
 Hewlett-Packard Company, model 3562A, serial number 2435A00372. Frequency range rating: 0.0 to 100.0 kHz. Frequency band quantity: 2; Frequency channel quantity: 2. Input impedance rating: 1.0 Mega ohm nominal. Voltage rating: 115/230 VAC. Frequency rating: 48/440 Hz. Recording device accommodation provided. Overall dimensions: 22.75"L x 16.75"W x 8.75"H.

NSN: 6625-01-305-1123
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 56 lbs
 Acquisition Cost: \$22,680.00 1 EACH

Item 112. ANALYZER, SPECTRUM:
 Hewlett-Packard Company, model 8903B, serial number 2614A01162. Frequency range rating: 0.020 to 100.0 kHz. Frequency band quantity: 1; Input impedance rating: 100 kilohms nominal. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/440 Hz. Measures distortion, signal to noise, true RMS AC volts, DC volts, and frequency. Overall dimensions: 17"L x 17"W x 6"H.

NSN: 6625-01-221-9295
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 26 lbs
 Acquisition Cost: \$6,690.00 1 EACH

Item 113. SYNTHESIZER, ELECTRICAL FREQUENCY:
 Hewlett-Packard Company, model 3325B, serial number 2847A04316. 240 VAC, 48/66 Hz. Overall dimensions: 19.63"L x 16.75"W x 5.25"H.

NSN: 6625-01-297-9969
 DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$8,972.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 114. WAVEFORM RECORDER:
 Hewlett Packard Company, model 5180A, serial number 2329A00741. 100/240 VAC, 48/66 Hz, two channel. Overall dimensions: 23"L x 16.75"W x 5.625"H.

NSN: 6625-01-146-4907
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs

Acquisition Cost: \$18,560.00 1 EACH

Item 115. MODULATION SECTION:

Hewlett-Packard Company, model 8663A, serial number 2716A01088. Overall dimensions: 24"L x 17"W x 8"H.

NSN: 6625-01-138-8303
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used Condition Code A
Estimated Weight: 50 lbs
Acquisition Cost: \$49,114.00 1 EACH

Item 116. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 8568B, serial number 2841A04582. Overall dimensions: 22"L x 17"W x 5"H.

NSN: 6625-01-226-1252
DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$34,600.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 117. GENERATOR, SIGNAL:

Wavetek RF Products, Inc., model 2500C, serial number 8282008. Overall dimensions: 21"L x 5.5"W x 12.5"H.

NSN: 6625-01-362-0344
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 30 lbs
Acquisition Cost: \$35,000.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 118. OSCILLOSCOPE:

Tektronix, Inc., model 48312B, serial number 1317812. Overall dimensions: 13"L x 8"W x 7"H.

FSC: 6625
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 10 lbs
Acquisition Cost: \$1,164.00 1 EACH

Item 119. OSCILLOSCOPE:

Tektronix Inc., model 475, serial number B251272. Screen size: 8 x 10 centimeters. Voltage rating: 110/115/120/220/230/240 VAC.

Frequency rating: 48/440 Hz. Single phase. Sweep frequency range: 0.0 to 200.0 MHz. Overall dimensions: 20.3"L x 12.9"W x 6.2"H.

NSN: 6625-00-127-0079
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$3,936.00 1 EACH

Item 120. OSCILLOSCOPE:

Tektronix, Inc., model 2235A, serial number B021721. Voltage rating: 90/250 VAC. Horizontal and vertical sweep circuits. Frequency rating: 48/440 Hz. 8cm x 10cm display screen. Overall dimensions: 18"L x 16"W x 6"H.

NSN: 6625-01-371-5069
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$3,432.00 1 EACH

Item 121. TEST SET, SEMICONDUCTOR DEVICE:

Hewlett-Packard Company, model 4191A, serial number 2515J02023. Performs analysis of 14 parameters with 4.5 digit resolution across a 1 to 1000 MHz frequency range. Designed to test RF impedance and semiconductor measurement. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Two phase. Overall dimensions: 24"L x 17"W x 9"H.

NSN: 6625-01-259-8161
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 30 lbs
Acquisition Cost: \$17,300.00 1 EACH

Item 122. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8341B, serial number 2804A01226. Frequency range rating: 0.010 to 20.000 GHz. Output impedance rating: 50 ohms nominal. Modulation type: AM, FM, and pulse. Modulated frequency rating: 0.050/10 MHz. 115 VAC, 60 Hz, single phase. Bench mount. 1 to 4 Hz frequency resolution; continuous analog sweep 100 Hz to 19.99 GHz; HP-IB programmable; DC to 100 kHz amplitude modulation. High performance synthesizer and broadband sweep oscillator. Overall dimensions: 24"L x 17"W x 8"H.

NSN: 6625-01-264-8588
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$39,500.00 1 EACH

Item 123. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8640B, serial number 2350A23360. Frequency range rating: 0.500 to 512.000 MHz. 100/240 VAC, 48/440 Hz. Incorporates built-in counter 20 Hz to 550 MHz. Overall dimensions: 18.75"L x 16.75"W x 5.25"H.

NSN: 6625-00-318-6304
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 35 lbs
 Acquisition Cost: \$7,340.00 1 EACH

Item 124. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett-Packard Company, model 3325A, serial number 2512A21532. Solid state circuitry. Nain-synthesizer function generator. Sine, square, triangle, negative and positive ramps. Power rating: 100/120/220/240 VAC, 48/66 Hz, 60 VAC. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acquisition Cost: \$4,400.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 125. OSCILLOSCOPE:

Tektronix, Inc., model 2225, serial number E227491. DC; viewing screen voltage rating: 12.6 kilovolts. Voltage rating: 95/250. Frequency rating: 48 hz/440hz. Used to perform measurements associated with dual time base scopes. Overall dimensions: 17.3"D x 15"W x 5.4"H.

NSN: 6625-01-318-0368
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$1,488.09 1 EACH

Item 126. OSCILLOSCOPE:

Tektronix, Inc., model 2246, serial number B115720. Horizontal and vertical sweep circuits. Frequency rating: 100 MHz nominal. DC. Four channel; on-screen scale factor readout; flexible triggering; delayed sweep; control status lights; labeled volts cursors with ground references readings. Overall dimensions: 16"L x 13"W x 7"H.

NSN: 6625-01-261-4605
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$2,679.00 1 EACH

Item 127. OSCILLOSCOPE:

Tektronix, Inc., model 2246, serial number B113284. Horizontal and vertical sweep circuits. Frequency rating: 100 MHz nominal. DC. Four channel; on-screen scale factor readout; flexible triggering; delayed sweep; control status lights; labeled volts cursors with ground references readings. Overall dimensions: 16"L x 13"W x 7"H.

NSN: 6625-01-261-4605
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$2,679.00 1 EACH

Item 128. OSCILLOSCOPE:

Tektronix Inc., model 485, serial number B050624. Screen size 8 by 10 cm. Horizontal and vertical sweep circuits included. Sweep frequency range: 0.0 to 350.0 MHz. Trigger sweep polarity switch included. Amplifier deflection sensitivity provision provided. Frequency response rating provided. X-Axis frequency response rating: 1.0 MHz nominal. Y-Axis frequency rating: 1.0 MHz nominal. Calibrated screen scale included. Graduation interval: graduated in V/CM both axes. Voltage rating: 90/136/180/272 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 18.5"L x 12"W x 6.6"H.

NSN: 6625-00-548-8181
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$9,190.00 1 EACH

Item 129. OSCILLOSCOPE:

Tektronix Inc., model 2465, serial number 102024. Two beam. Sweep circuits included. Amplifier deflection sensitivity provision provided. Voltage rating: 120/240 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 13"L x 16"W x 6"H.

NSN: 6625-01-159-3106
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$5,470.00 1 EACH

Item 130. OSCILLOSCOPE:

Tektronix Inc., model 2465, serial number B053174. Two beam. Sweep circuits included. Amplifier deflection sensitivity provision provided. Voltage rating: 120/240 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 13"L x 16"W x 6"H.

NSN: 6625-01-159-3106
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$5,470.00 1 EACH

Item 131. OSCILLOSCOPE:

Tektronix Inc., model TAS485, serial number B010376. Frequency rating: 50.0 Hz nominal. Overall dimensions: 18"L x 13"W x 6"H.

NSN: 6625-01-433-6647
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$10,000.00 1 EACH

Item 132. VAN, PASSENGER:

1995, Dodge, model 3500 Max, 15 passenger van. VIN: 2B5WB35Z1SK564117. Mileage: 107,636. 8 cylinder, 5.9L, gasoline engine. Fair tires. Automatic transmission. Parts

damaged including right side body repair, rust on rear roof, and bent rear bumper.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code: F
Estimated Weight: 8,510 lbs
Acquisition Cost: \$25,054.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 133. VAN, PASSENGER:

1991, Chevrolet, 7 passenger minivan. VIN: 1GNDL15Z4MB110380. Mileage: 59,542. 6 cylinder gasoline engine. Fair tires. Automatic transmission. Parts damaged including windshield, exhaust system, slide door bent, rear door latch broken.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code: F
Estimated Weight: 4,200 lbs
Acquisition Cost: \$14,200.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 134. SPORT UTILITY VEHICLE:

1998, Jeep Cherokee, XJL74, 4x4, 4 door. VIN: 1J4FJ68S3WL238703. Mileage: 114,819. 6 cylinder, 36.1 hp, 4.0L gasoline engine. 5 passenger. Fair tires. Automatic transmission. Parts damaged including engine oil pressure when hot, body repair left fender and drivers door.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code: F
Estimated Weight: 3,583 lbs
Acquisition Cost: \$24,785.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect

data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 135. VAN, PANEL:

¾ Ton, 1992, Chrysler Corporation, B250 Ram AB2L12. VIN: 2B7HB21X3NK146029. Mileage: 36,628. 6 cylinder, 36.7 hp, gasoline engine. 7 passenger. Fair tires. Automatic transmission. Parts damaged including worn steering parts, body dented on left quarter panel, rust on side door, and rust on side floors.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code: F
Estimated Weight: 6,010 lbs
Acquisition Cost: \$16,727.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 136. VAN, CARGO:

½ Ton, 1993, Dodge, ASKE12, Caravan. VIN: 2B7FH1135PR293427. Mileage: 48,336. 6 cylinder, 30.9 hp, 3.0L, gasoline engine. Automatic transmission. Two passenger. Parts damaged including bad tires, and air conditioning system needs service.

FSC: 2320
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code: F
Estimated Weight: 4,290 lbs
Acquisition Cost: \$16,231.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 137 is located at Fort Meade, MD. No inspection allowed. Item will be brought to the Glen Burnie, MD store during the removal timeframe.

Item 137. UTILITY VEHICLE, TITAN:

1991, Cushman Inc., model 898336-341, serial number 92001352. Electric, 2025 pound rated capacity, 4-wheel, 36 volt, 450 amp batteries. Rear wheel hydraulic brakes; 5.70x8 load range B pneumatic tires; electronic speed controller; automatic

charger; tilt steering; horn; stoplights; battery meter gauge; hour meter; side mirrors; windshield wipers; enclosed cab with doors; enclosed cargo bed area with locks. Unit is operational however the batteries need to be replaced.
NSN: 2340-01-384-8526
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Inside-Loose-Used-Condition Code F
Estimated Weight: 1,085 lbs
Acquisition Cost: \$10,000.00 1 EACH

Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)

See DRMS pamphlet, *Sale by Reference, March 1994*, for General Information and Instructions 1 thru 17.

- 18. Submission of Bids.** Bids must be in the possession of the Sales Contracting Officer by the hour (exact time) specified for the bid opening. Bids must be submitted on the forms provided in this Invitation. Forms must be typewritten or prepared in ink or indelible pencil, and signed by the person submitting the bid. Envelopes containing the bids must be sealed and identified by the name and address of the bidder, the number of the sale, and the date and hour of the bid opening. (See following format.)

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; width: 80%;">NAME</td> <td style="width: 20%;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;">ADDRESS</td> <td></td> </tr> <tr> <td style="border-bottom: 1px solid black;">CITY</td> <td style="border-bottom: 1px solid black;">ST</td> </tr> <tr> <td style="border-bottom: 1px solid black;">ZIP</td> <td></td> </tr> </table> <p style="text-align: center; margin-top: 10px;"> Defense Reutilization & Marketing Service Bid Room, National Sales Office 74 Washington Ave N. BATTLE CREEK, MI 49017-3092 </p> <p style="margin-top: 10px;"> SALE NUMBER: 38-4630 BID OPENING DATE: September 1, 2004 @ 9:00 A.M. (EST/EDST) BIDDER IDENTIFICATION NUMBER: 300-FILL-IN-YOUR-NUMBER </p>	NAME		ADDRESS		CITY	ST	ZIP		<div style="border: 1px solid black; padding: 5px; width: 80%; margin: 0 auto;"> POSTAGE REQUIRED </div>
NAME									
ADDRESS									
CITY	ST								
ZIP									

19. Bids may be submitted via:

- A. U.S. Mail-Users of the U.S. Postal Service (including USPS Express Mail)
- B. Express Mail/Hand Carried Bids-Users of Express Mail Services and hand carried bids.
- C. Electronic Method-Instructions for on-line bidding at <http://www.drms.dla.mil>

Bids submitted by telegram, facsimile, electronic mail (Internet) or mailgram must be specific as to sender and content, to include name and title of sender, complete firm name (if other than an individual), complete address, telephone number, invitation for bid number, item number on which the bid is submitted, unit price and total price and amount.

20. Telephonic bids will not be accepted on this sale.

21. All bids must be addressed and mailed or delivered to:

Defense Reutilization and Marketing Service
 Bid Room, National Sales Office
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number (269) 961-7568

22. All Payments must be addressed and mailed or delivered to:

Defense Reutilization and Marketing Service
 ATTN: Cashier
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number (269) 961-7314

- 23. Personal Checks:** Personal checks will be accepted for payments of debts, interest, liquidated damages, overages and storage charges, for amounts of \$25.00 or less. Make checks payable to the U.S. Treasury.

- 24. Facsimile Notification of Award:** The bidder may request facsimile notification or award by checking the appropriated block on the Item Bid Page. When requested by the bidder, facsimile notification will be sent simultaneously with the mailing of the contract and will include the contract number and item(s) awarded.

- 25. Disposal Notification to All Purchasers and Sub-Purchasers:** The use, disposition, export and reexport of this property is subject to all applicable U.S. laws and regulations, including the Arms Export Control Act (22 CFR 2751 et seq.); the Export Administration Act of 1979 (560 U.S.C. App. 2401 et seq.); International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.); and the Espionage Act (37 U.S.C. 791 et seq.) which among other things, prohibits:
- a. The making of false statements and concealment of any material information regarding the use or disposition, export or reexport of the property, and
 - b. Any use or disposition, export or reexport of the property that is not authorized in accordance with the provisions of this agreement.
- Before any export or reexport of this property is attempted, contact the Office of Defense Trade Controls, Department of State and the Bureau of Export Administration, Department of Commerce for export licensing requirements.

ADDITIONAL GENERAL INFORMATION AND INSTRUCTIONS - SEALED BID – CONTINUED

26. **EXCHANGE SALE:** This property is being offered in accordance with the exchange/sale provisions of Section 201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).
27. **RELEASE OF MATERIALS:** If purchaser wishes to release material to a carrier or agent, it is requested a written release (Letter of Authorization) be furnished prior to release of material.
28. **CALENDER SENSITIVE (YEAR 2000) EQUIPMENT:** The year 2000 (Y2K) technology problem, also known as the millennium bug, is the inability of some computers and computerized systems/equipment to correctly recognize dates after 1999. Computers and other calendar-sensitive property turned in by the Department of Defense and other authorized generators are not immune to this problem. In most cases, it is impossible to identify what will be affected and what will not be without extensive testing. Bidders are notified that the condition of the property, as expressed in item descriptive data, is based on visual inspection that is not adequate to determine year 2000 compatibility. If you have an interest in any property that may be affected by the Y2K technology problem, you should contact the manufacturer or check the manufacturer's web site to see if any information is available regarding the property's year 2000 compatibility. You may visit the General Service Administration's Year 2000 web site at the following internet address: [http:// www.itpolicy.gsa.gov/mks/yr2000/y2home.htm](http://www.itpolicy.gsa.gov/mks/yr2000/y2home.htm) or you can also obtain information from the Federal Year 2000 Information Center at 1-888-872-4925.

NOTICE:

Bids on this sale will be processed by automatic data processing equipment under a system, which is not capable of evaluating combination bids. Accordingly, qualified, tie-in, all-or-none or any other combination or floating bids will be rejected. BIDDERS MUST submit a distinct individual price for each item bid upon in order for their bids to be considered for award

NOTICE:

High bids on Demil B or Q items, where an End Use Certificate is required, are taking 60 to 120 days (or longer) to clear Trade Security Control, part of the Department of Commerce. To ensure you don't lose the right to the property, during the clearance process, please enter "60" or leave blank the portion of Standard Form 114, Item Bid and Award Page, which states, "In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within ____ calendar days...to pay for and remove the property." **We are unable to extend Bid Acceptance Periods of less than 60 days.** Failure to leave this line blank or specifying less than 60 days may cause you to lose the right to the property.

NOTICE:

If you are faxing or mailing in your bid, you **MUST** include both the completed Item Bid and Award (SF Form 114) page and the completed Item Bid Page (SF Form 114A). If either sheet is missing from your bid package, at time of bid opening, your bid will automatically be made non-responsive. It is YOUR responsibility to insure the complete bid package arrives **PRIOR TO** bid opening!

Supply Condition Codes

Code	Title	Definition
A	Serviceable (issuable without qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction. Includes material with more than 6 months' shelf life remaining.
B	Serviceable (issuable with qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable for its intended purpose but which is restricted from issue to specific units activities, or geographical areas by reason of its limited usefulness or short service life expectancy. Includes material with 3 through 6 months' shelf life remaining.
C	Serviceable (priority issue)	Items which are serviceable and issuable to selected customers, but which must be issued before Condition A and B material to avoid loss or as a usable asset. Includes material with less than 3 months shelf life remaining.
D	Serviceable (test/ modification)	Serviceable material which requires test, alteration, modification, con version, or disassembly. (This does not include items that must be inspected or tested immediately prior to issue.)
E	Unserviceable (limited restoration)	Material that involves only limited expense or effort to restore to serviceable condition and which is accomplished in the storage activity where the stock is located.
F	Unserviceable (reparable)	Economically reparable material which requires repair, overhaul, or reconditioning (includes reparable items that are radioactively contaminated).
H	Unserviceable	Material that has been determined to be unserviceable and does not meet repair criteria, (includes condemned items which are radioactively contaminated).

Demilitarization Codes/Requirements

A DEMIL customer service helpline at 1-888-352-9333 is available 8:00-5:00 EST/EDST to address any demilitarization problems or concerns.

Code	Explanation
A	Non-MLI/Non-CCLI. Demilitarization not required.
B	MLI (NON-SME). Demilitarization not required. Trade Security Controls (TSC) required at disposition.
G	MLI (SME). Demilitarization required - AEDA. Demilitarization, and if required, declassification and/or removal of sensitive markings or information will be accomplished prior to physical transfer to a DRMO. This code will be used for all AEDA items, including those that also require declassification and/or removal of sensitive markings or information.
Q	CCLI. Commerce Control List Item – Demilitarization not required. CCLI are dual-use (military, commercial, and other strategic uses) items under the jurisdiction of the Bureau of Export Administration, U.S. Department of Commerce, through the Export Administration Regulations. The types of items under the Commerce Control List (CCL) are commodities (i.e., equipment, materials, electronics, propulsion systems, etc.), software, and technology. The CCL does not include those items exclusively controlled by another department or agency of the U.S. Government.

Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)

The General Information and Instructions and General and Special Conditions of Sale are hereby incorporated by reference and become a part of this Invitation for Bids and any contract resulting from acceptance of bid submitted pursuant to this Invitation for Bids as fully as though such Instructions, Term and Conditions had been specifically set forth herein. The Instructions, Term and Conditions are contained in Defense Reutilization and Marketing Service pamphlet entitled *Sale by Reference - Instructions, Terms and Conditions Applicable to Department of Defense Personal Property Offered for sale by Defense Reutilization and Marketing Service dated March 1994*, and may be obtained from the DRMS Web site, www.dla.mil/drms or upon request from the DRMS National Sales Office, 74 Washington Ave. N, Battle Creek, MI 49017-3092. Copies are available through any activity of the Defense Reutilization and Marketing Service.

The specific Instructions, Terms and Conditions applicable to this sale are as follows:

DRMS pamphlet *Sale by Reference, March 1994*:

- Part 1: **General Information and Instructions** (DRMS Form 81, Oct 93): Complete except: Condition 6 should read: Any sale or use tax imposed by any state, country or political subdivision will be paid by the Purchaser.
- Part 2: **General Sale Terms and Conditions** (Standard Form 114C, Jun 86 ed., and DRMS Form 84, Oct 93). All Conditions.
- Part 3: **Special Sealed Bid Conditions** (Standard Form 114C-1, Jan 70 ed., and DRMS Form 99, Oct 93). All Conditions except E.
- Part 5: **Additional Special Circumstance Conditions - Miscellaneous** (DRMS Form 86, Oct 93). As specified in item description.
- Part 6: **Additional Special Circumstance Conditions- Demilitarization and Mutilation** (DRMS Form 95 Oct 93). As specified in item description.
- Part 7: **Additional Special Circumstance Conditions - Hazardous and Dangerous Property** (DRMS Form 98, Oct 93). As specified in item description.

IN ADDITION TO THE ABOVE, THE FOLLOWING IS ALSO INCORPORATED AS PART OF THIS SALE:

Articles

ARTICLE B01: BID DEPOSITS AND PAYMENTS

(a) A bid deposit is not required on this sale. Full payment is required prior to removal in accordance with DRMS Pamphlet, Sale by Reference, March 1994, Part 2, Condition 6.

(b) All bid deposits and payments, including those for storage charges, liquidated damages, and interest, must be in the form of cashier's check, certified check, traveler's check, bank draft, money order, cash or credit card (MasterCard, Visa, Discover Card, American Express only). Make checks payable to U.S. Treasury. When a credit card is used as payment, the credit card number, the name as printed on the credit card, and the expiration date must be provided. If more than one credit card is used; the bidder must identify the exact monetary amount to be applied against exact credit card. Bidders whose payment is accompanied by a letter of credit, or who have on file an approved bid bond (SF150 or SF 151) may make payments by uncertified personal or company checks, but only up to an amount equal to the penal sum of their bond or the amount of their letter of credit.

(c) If, for any reason, a bidder's uncertified check is not honored for payment by the payee's bank upon initial presentment for payment, the Government may, after notifying the bidder, require the bidder to make all future payments by cash, cashier's check, certified check, traveler's check, bank draft or money order.

(d) Successful bidders that wish to make payment via credit card for property awarded via credit card can do so by providing language substantially as follows:

I (WE) AUTHORIZED THE SALES CONTRACTING OFFICER TO OBTAIN PAYMENT BY CREDIT CARD FOR ANY ITEMS I AM (WE ARE) AWARDED ON THIS SALE.

Any necessary adjustments in accordance with condition of sale entitled "Adjustment or Variation in Quantity or Weight" will be applied to the card as a debit or credit.

(e) Personal checks will be accepted for payment of debt interest, liquidated damages, overages and storage charges for amounts of \$25.00 or less.

(f) All payments should be addressed and mailed or delivered to:
 Defense Reutilization and Marketing Service
 Attn.: Cashier
 74 North Washington Ave.
 Battle Creek, MI 49017-3092

Credit card payments may be faxed to: (269) 961-7314

ARTICLE B07: CHANGE IN CONTRACT CLAUSES:

The terminology "Strategic List" and "SLI" appearing in Article J: STRATEGIC LIST ITEMS (SLI) and Article K: MUNITIONS AND STRATEGIC LIST ITEM (mli/sli) COMPLIANCE found at Part 5 of the sale by reference pamphlet dated March 1994 is deleted and "Commerce Control List" and "CCLI", respectively, are substituted therefore. All other language remains unchanged and in full force and effect.

ARTICLE B27: HOLD HARMLESS CONDITION

The purchaser shall hold and save the Government and its personnel free and harmless from liability of any nature or kind occasioned by operations of the purchaser on Government premises.

ARTICLE 61: DENIED AREAS

The bidder understands and agrees that the ultimate destination of any property awarded from this sale will not be to Cuba, Iran, Iraq, Libya, Unita (Angola), and Bosnian Serb-Controlled area of the Republic of Bosnia-Herzegovina. The following countries are able to purchase demil "A" (non MLI/SLI) coded property only, but they need to submit a completed End-Use Certificate (EUC) to the Sales Contracting Officer when submitting a bid for property. Afghanistan, Albania, Bulgaria, Burma, Cambodia, Peoples Republic of China, Estonia, Ethiopia, Haiti, Laos, Latvia, Lithuania, Madagascar, Mongolia, Mozambique, Peru, Romania, Somalia, Sudan, Syria, Vietnam, All former states of Yugoslavia, South Africa, Slovenia, Bosnia-Herzegovina, Montenegro, Serbia and other Republics and All former states of the Soviet Union.

ARTICLE KC: ILLICIT ACTS

During the performance of the contract awarded, the purchaser agrees to assume full responsibility for any illicit act committed by his assigned agents and/or employees while such personnel are within the confines of the U.S. military installation or any area involved in the performance of such contract. For the purpose of this condition of sale, illicit acts include, but are not limited to, commission of fraud, theft, bribery, receiving stolen property, and any other alleged offense

not specifically indicated. Therefore, the purchaser agrees to ensure complete supervision over such personnel who are engaged in the performance of any contract awarded. Violation of above requirement by the purchaser and/or agents may result in temporary suspension or permanent debarment of the contractor.

ARTICLE SA: STORAGE CHARGES/LATE REMOVAL CHARGES

Notwithstanding Part 2, Condition 28, if the Purchaser fails to remove the property within the time limits specified for removal, or within any extension of time which may have been granted by the Sales Contracting Officer, pursuant to Condition No. 8, General Sales Terms and conditions (Standard Form 114C), charges at the following rate(s) per day, per item, excluding Saturdays, Sundays and Federal Holidays.

<u>ITEM NUMBERS</u>	<u>RATE PER DAY</u>
1-131	\$10.00
132-137	\$50.00

Inspection Dates and Times

August 25-27, 2004
(Wednesday through Friday ONLY!)
Hours are: 10:00 A.M.-2:00 P.M. (EDST)

Inspection Notes:

Items 1 – 136 Wednesday through Friday only. From BWI Airport, Baltimore: Take I-195 North (Baltimore Washington Parkway). Bear right onto 695 East (Baltimore Beltway). Take exit for 2 South (Route 10). Take first exit (Ordnance Road East). Go approximately 100 yards (2nd light) and turn right into "Bay Meadow Business Park", onto Bay Meadow Drive. Follow to the 4th building on the right under the blue tower. Address on building is 6730 Bay Meadow Drive.

Item 137 No inspections allowed. Items will be brought to the above Glen Burnie, MD address during the removal timeframe.

Loading Table

Time for Removal

(See DRMS pamphlet, "Sale by Reference, March 1994, Part Z, Condition no. 8, Standard Form 114C)
 The removal period is established on the basis that a written notice of award will be made by September 7, 2004.
 Should the written notice of award on any item(s) not be made by the above date, an appropriate allowance will be made in the date of removal for such items.

Property must be removed: (Items 1 thru 128)-no later than September 15, 2004.

LOADING LEGEND

I GOVERNMENT WILL LOAD

- (a) Rail
- (b) Truck or Trailer

II GOVERNMENT WILL LOAD-OPEN TOP CONVEYANCE ONLY

- (a) Rail
- (b) Truck or Trailer

III PURCHASER MUST LOAD (NO GOVERNMENT ASSISTANCE)

- (a) Rail facilities available adjacent to property
- (b) Rail facilities available on the installation but remote from property
- (c) No rail facilities available

IV OTHER

ITEM	LOADING LEGEND
001-137	IIIc

Loading Notes

ITEM (S) 1 – 137 Removals must be made: September 13-15, 2004, Monday through Wednesday, between 10:00 A.M. to 2:00 P.M. (EDST).

Follow directions set forth in Inspection Notes. Show drivers license, current registration, and proof of insurance along with a paid copy of DRMS Form 1427, Notice of Award Statement and Release Document to obtain pass. A DRMS Form 1646, Letter of Authorization, is also required for anyone other than Purchaser, for property release. **A 24-hour notice is required prior to removal of property.** Point of contact is Mike Drexel. Telephone (443) 479-2817.

Common Carriers and Packing Concerns: A list of Common Carriers and Packing Concerns servicing this geographic area is available upon request from the Sales Contracting Officer (SCO). This list may not include every provider of service. The Government assumes no responsibility or liability for services furnished by any firms listed, nor does the Government endorse the use of or business practices of any listed business.

Sale of Government Property Item Bid and Award Page

Address your bid to: Defense Reutilization and Marketing Service Bid Room, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Sale No. 38-4630	Bids will be opened at: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Date: September 1, 2004 at 9:00 A.M. EST/EDST
--	---

Bids will be publicly opened on the date and time specified, subject to:

1. TERMS AND CONDITIONS
 - General Sale Terms and Conditions, SF 114C, Jun. 86 ed.; and
Special Sealed Bid Conditions, SF 114C-1, Jan.1970 ed
 - Terms/conditions incorporated herein by reference;
 - Special terms/conditions incorporated into the Invitation for Bid;
2. PAYMENT REQUIREMENTS
 - Bidder is required to pay for any or all of the items listed on the Item Bid Page(s) at the price bid for each item, in accordance with Article B01.

BID (This section to be completed by the Bidder)

In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within _____ calendar days (60 calendar days if no period is specified by the Government or the Bidder, but not less than 10 calendar days) to pay for and remove the property. The total amount is \$_____.

THE BIDDER (Check appropriate boxes)

1. has, has not inspected the property on which the bid is submitted.
2. is, is not, an individual or a small business concern. (See CFR, Title 13, Chapter 1, Part 121, Sec. 121.3-9 for the definition of small business.)

Complete the following only if the total amount of the bid(s) exceeds \$25,000.

- 3a. has, has not, employed or retained any company or person (other than a full-time, bona fide employee working solely for the Bidder) to solicit or secure this contract, and
- 3b. has, has not, paid or agreed to pay any company or person (other than a full-time, bona fide employee working solely for the Bidder) any fee, commission, percentage or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to furnish information relating to (a) and (b) above as requested by the Contracting officer, (For interpretation of the representation, including the term "bona fide employee", see CFR, TITLE 41, SUBPART 101-45.3.)

Name and address of bidder (Street, City, State, and Zip Code) (Type or print) – (MUST be same on envelope) Telephone number: Bidder identification no. (If applicable) 300	Signature of person authorized to sign this bid	
	Signers name and title (type or print)	Date Of Bid

Acceptance by the Government (This section for Government use only)

Accepted as to item(s) numbered (For acceptance information see DRMS Form 1427attached)	United States of America By: (Contracting Officer)	Date of Acceptance
Total Amount	Contract Number(s)	Name and Title of Contracting Officer

Credit Card Information

Please note

Effective immediately, if you use a credit card for payment and, at the time of processing, it is declined by the bank, you will be advised, in writing, that your credit card will no longer be accepted for a period of one (1) year. Fraudulent use of credit cards will result in your being recommended for debarment from the DRMS sales program.

If a credit card is to be used as a payment, complete the following information and return this sheet with your bid, or AFTER AWARD, facsimile this completed page to (269) 961-7314. Be sure to include your contract number.

(Please type or legibly print information)

First Name: _____ Last Name: _____

Company Name: _____

Card Holder Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____ - _____

Master Card () Visa () Discover () American Express ()

Credit Card Number: _____

Expiration date: Month _____ Year _____

I (we) authorize the sales contracting officer to obtain payment by credit card for any items I am (we are) awarded on this sale.

Authorized Signature

Date

<p style="text-align: center;">LETTER OF AUTHORIZATION <i>(Prescribing authority: DRMS-H 4160.3. Volume 1)</i></p>	<p>TO: _____</p>
<p>I, _____ the undersigned, hereby authorize _____ to <i>(PRINT NAME)</i> <i>(PRINT NAME)</i> act as my agent on Contract _____ with respect to the items listed below and for the purpose indicated by check mark in the boxes provided under "Extent of Authority".</p>	
EXTENT OF AUTHORITY	LIST ITEM (S)
<p><input type="checkbox"/> Make payment.</p> <p><input type="checkbox"/> Make payment and remove property.</p> <p><input type="checkbox"/> Remove Property.</p> <p><input type="checkbox"/> Perform work required under the contract</p> <p><input type="checkbox"/> Accept and sign for deliveries above or below the quantity variations allowed under the contract.</p> <p><input type="checkbox"/> Sign certifications required prior to Government's permitting release of property.</p> <p><input type="checkbox"/> Other (specify): _____</p>	
SIGNATURE OF PURCHASER	DATE

DRMS FROM 1646, APR 2002 (EF) (Previous Edition May be used Until Exhausted)

BEFORE YOU BEGIN, READ THE FILLER HELP PROVIDED UNDER FILE/FORM INFO. THEN PUT YOUR CURSOR IN THE RED BOX AND CLICK ON F1 FOR SOME ADDITIONAL INFO.



IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO.

END-USE CERTIFICATE (STATEMENT REGARDING DISPOSITION AND USE OF PROPERTY) (Please read Privacy Act Statement on reverse before completing this form. If additional space is required, use separate sheets and identify by Block Number.)		FOR AGENCY USE ONLY				Form Approved OMB No. 0704-0382 Expires Dec 31, 2004	
		TSC CLD	PRIMARY PURCHASER	SUB-PURCHASER			
		YES		1	2	3	4
		NO					
<p>The public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to DoD, Washington Headquarters Services, DIOR (0704-0382), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to either of these addresses. RETURN COMPLETED FORM TO THE OFFICE STATED ON THE IFB, SOLICITATION OR PROPOSAL.</p> <p>INSTRUCTIONS. This form must be fully completed by all applicants for Munitions List Items (MLI)/Commerce Control List Items (CCLI) prior to acceptance by the U.S. Government and constitutes an integral part of this bid. The information given must be true and correct and will become a part of this contract. Every block MUST have an entry. If necessary, insert "NONE," "SAME AS BLOCK X," or "NOT APPLICABLE" (do not use "N/A"). If the applicant is acting solely as an Agent, a DLA Form 1822 must be signed by the Principal. The term Approving Official is used to indicate the person authorized to act for the U.S. Government (Sales Contracting Officer, Plant Clearance Officer, or other designated individual). FOR ALL SALES OF PROPERTY APPROVED BY PLANT CLEARANCE OFFICERS, UPON THE REMOVAL OF THE PROPERTY, ALL DOCUMENTATION REQUIRED BY THIS FORM WILL BE FORWARDED TO THE IDENTIFIED TRADE SECURITY CONTROL OFFICE.</p> <p>The following applies to all property subject to sale using this form: the use, disposition, export, or re-export of this property, is subject to the publications, penalties, and other provisions of the economic programs administered by the Office of Foreign Assets Control, U.S. Treasury Department, 31 CFR Chapter V.</p>							
THIS STATEMENT IS SUBMITTED IN CONNECTION WITH: <input type="checkbox"/> SALE <input type="checkbox"/> EXCHANGE <input type="checkbox"/> OTHER:				LINE ITEM NUMBER/COMMODITY			
NAME (Last, First, Middle)				SSN/ALIEN CARD NO./COUNTRY ID			
DATE OF BIRTH (MM/DD/YY)		PLACE OF BIRTH (City or County, State, Country)			TELEPHONE NUMBER (Include Area Code)		
MAILING ADDRESS				PHYSICAL ADDRESS			
SECTION I. GENERAL INFORMATION							
APPLICABILITY. This statement applies to the property for which we have submitted our bid/offer pursuant to the above identified invitation.							
1. TYPE OF FIRM <input type="checkbox"/> SOLE PROPRIETORSHIP <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> CORPORATION <input type="checkbox"/> OTHER (Specify):							
2. NATURE OF END-USER'S BUSINESS		3. NATURE OF PRINCIPAL'S BUSINESS		4. FIRM'S ID/FEDERAL TAX NUMBER			
5. BUSINESS/CORPORATION HEADQUARTERS				6. BRANCH OFFICE			
A. NAME				A. NAME			
B. ADDRESS (Physical location)				B. ADDRESS (Physical location)			
7. ALL CORPORATE OFFICERS, PARTNERS AND/OR AGENTS ARE TO PROVIDE, ON SEPARATE SHEETS OF PAPER, THEIR NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH. FAILURE TO PROVIDE THIS INFORMATION COULD RESULT IN SIGNIFICANT DELAY OR DENIAL OF THE AWARD.							
SECTION II. END USE/USER INFORMATION. If this is a negotiated exchange, identify the property being exchanged: _____							
1. PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING: Enter and "X" in the appropriate item(s) below. In the case of resale, 1 item 1.F. or 1.G. MUST be marked.							
<input type="checkbox"/> A. Retention for the following specific use (see note):		<input type="checkbox"/> B. Resold in the form received for the following use (see note):		<input type="checkbox"/> C. The property will not be sold or otherwise disposed of for use outside of the United States or to non-U.S. Citizens/Nationals in the United States.			
<input type="checkbox"/> D. The property may be re-exported in the form received to the following country/countries:		<input type="checkbox"/> E. Resale after following alteration (description of final production): _____ in (Country/Countries): _____ and distribution in (Country/Countries): _____		<input type="checkbox"/> F. If sold, name, address, and telephone number of sub-purchaser(s):			
<input type="checkbox"/> G. The customers are unknown at this time. If required by the contract/transfer document, I will obtain prior written approval for the resale of any of the property covered by this contract.							
ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property which may be of value in considering the proposal:							
NOTE: Example of specific uses: AIRCRAFT. The bidder/recipient certifies that the aircraft will be used: as a flyable aircraft; as a non flyable aircraft to be used only for parts, display, or ground instruction, etc.; for resale as a flyable aircraft.							

SECTION III. UNDERSTANDING AND NOTIFICATIONS

1. The use, disposition, export and re-export of this property is subject to all applicable U.S. Laws and Regulations, including but not limited to the Arms Export Control Act (22 USC 2751 et seq.); Export Administration Act of 1979 (50 USC App. 2401 et seq.) as continued under Executive Order 12924; International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.) and the Espionage Act (18 USC 793 et seq.); which, among other things, prohibit:

A. The making of false statements and concealment of any material information regarding the use or disposition, export or re-export of the property and

B. Any use, disposition, export or re-export of the property not permitted by applicable statute and regulation.

2. The submission of false or misleading information and/or concealment of any material facts regarding the use, disposition or export of this property may constitute a violation of provisions of 18 USC 793/1001, 22 USC 2778/2779, 50 USC App. 2410, and 50 USC App. 1-44. Sanctions for violations will be in conformity with U.S. laws and regulations (including Federal Acquisition Regulations and DoDD 2030.8) and may include the denial of U.S. export privileges and of any participation in future U.S. Government contracts.

3. Transfers of MLI and CCLI property by purchasers/bidders are subject to the requirements of the appropriate licensing department or agency. In many cases, an export license or other authorization may be required. With respect to MLI, registration of the purchaser's/bidder's business with the Department of the State may also be required. It is the responsibility of the purchaser/bidder to determine what the applicable requirements may be and to obtain all necessary authorizations or

4. When MLI/CCLI property is transferred, the information in this form regarding the above laws and regulations must be passed to the subsequent purchaser/receiver. Records of Resale in buyer's possession should be available for Trade Security Controls Office review, if requested.

5. The Invitation For Bid and Sale/Exchange Contract number can be referenced when submitting an application for an export license or other authorization to the Department of State for MLI or Department of Commerce for CCLI.

6. The Government expects the Purchaser/Recipient to cooperate with all authorized Government representatives to verify the existence and condition of MLI/CCLI.

SECTION IV. CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB

1. I do certify that all information given in this Statement Regarding Disposition and Use of Property is true and correct to the best of my knowledge and belief and have not knowingly omitted any information which is inconsistent with this statement. I understand this statement will be referred to and be a part of the contract of sale/exchange with the U.S. Government. I agree to submit a written request for amendment of this statement to the Approving Official prior to effecting any change of fact or intention from that stated herein or in any prior amendment, whether occurring before or after the release of the commodities, and not to effect such changes without first receiving written approval of the Approving Official.

2. I acknowledge having been advised that the MLI/CCLI property I purchased is controlled by the U.S. Government and in many cases cannot be transferred (exported, sold or given) to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident without a valid State/Commerce Department export authorization. Should I transfer this property to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident, I will obtain any required authorization before making such transfers. I will not transfer this property to countries, regimes and nationals targeted under the sanctions program administered by the U.S. Treasury Department's Office of Foreign Assets Control.

3. Neither the applicant, corporate officers, directors or partners is:

A. The subject of an indictment for or has been convicted of violating any of the U.S. Criminal statutes enumerated in 22 CFR 120.27 since the effective date of the Arms Export Control Act, Public Law 94-329, 90 Stat. 729 (June 30, 1976) ; or

4. The person signing this DLA Form 1822 is:

- a Citizen of the United States of America, or
- lawfully admitted to the United States for Permanent Residence and maintains such residence under the Immigration and Nationality Act, as amended (8 USC 1101(a), 20, 60 Stat. 163) , or
- a Citizen of _____, and/or
- is an official of a foreign government entity in the United States.

A. NAME (Type or print)	B. SIGNATURE	C. DATE SIGNED
-------------------------	--------------	----------------

PRIVACY ACT STATEMENT

AUTHORITY: 10 USC 136; 40 USC 471; 50 USC 2411; 22 USC 2751; and EO 9397.
PRINCIPAL PURPOSE(S): Determine applicant eligibility to participate in the program and ensure that property recipients comply with the terms of the sale.
ROUTINE USES: Data may be disclosed to the Departments of State, Commerce, Treasury, Transportation and Justice for determining compliance with applicable laws and regulations and to the General Services Administration to determine presence of debarment proceedings against a recipient.
DISCLOSURE: Voluntary; however, failure to provide the requested information may result in ineligibility to receive surplus or foreign personal property. DLA PRIVACY ACT SYSTEM NOTICE S800.10 DLSC APPLIES - SEE THIS NOTICE FOR FURTHER INFORMATION.

INSTRUCTIONS FOR COMPLETING DLA FORM 1822, END-USE CERTIFICATE (12/14/01)

All individuals wanting to acquire Department of Defense surplus property, identified as Munitions List Items (MLI) or Commerce Control List Items (CCLI), are required to fully complete this End-Use Certificate (EUC), DLA Form 1822. It is your responsibility to fully and accurately complete this form. The use of "home made" EUCs is discouraged because they are not covered under the Paperwork Reduction Act. Due to the critical nature of this document, failure to comply with any of these instructions and/or accurately provide the required information will result in this EUC being deemed unacceptable and will cause significant delay or denial in obtaining the Trade Security Control (TSC) clearance required to receive MLI/CCLI property.

All entries must be typed or clearly printed. When providing the required information and additional space is needed, the use of a separate sheet of paper is acceptable. At the top of each additional sheet of paper you must place your name and the IFB/Contract no./Offer No./Standard Form-122/Standard Form-123 Order No. You must also cite the appropriate block number(s) and/or letter(s) for each entry.

Every block on the EUC must have an entry. If the information being requested does not apply to your situation, the only entries which will be acceptable are: "NONE", "DOES NOT APPLY", or "NOT APPLICABLE" (do not use N/A, N/R or draw a line). If you have to repeat information that was previously entered in another block, cite the SECTION, block number and/or letter; i.e., "SAME AS SECTION 'X', BLOCK 'X'". The Approving Official (Sales Contracting Officer, Plant Clearance Officer, or other designated individual) will review the EUC for completeness and accuracy.

PAGE 1

AT TOP OF PAGE IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO:

Enter the number (if not pre-printed) of the Invitation For Bid (IFB), contract/offer, proposal number, order number, etc. that is used to identify the specific sale or exchange.

1. THIS STATEMENT IS SUBMITTED IN CONNECTION WITH:

Place and "X" in the block that best identifies the type of transaction you are entering into:

- SALE - purchasing property from the Defense Reutilization and Marketing Service or the Defense Contract Management Agency.
- EXCHANGE - an agreement with a Military Service Museum to exchange property for agreed upon property or /services.
- OTHER - for those transactions that are not a sale or exchange and where title to property may or may not pass from government control.

2. LINE ITEM NUMBER/COMMODITY:

Enter the line item number for each MLI/CCLI item you are interested in acquiring.

For negotiated exchanges, or other types of transactions, enter the name or nomenclature of the property that you will be receiving upon completion of the negotiations.

3. NAME (Last, First, Middle): This should be the name of the individual who signing this form. Please print/type your complete legal name legibly. Provide last name, complete first name (initials for first name will not be accepted) and middle name (if any). If you do not have a middle name, use NMN (No Middle Name). Include any other names ever used (i.e., maiden name, nicknames, acronyms, aliases, doing business as (DBA) and/or "also known as (AKA)" name(s).)

If an individual is bidding for himself or herself, that individual's name must be provided in this block.

If the bid is for a business, the individual authorized to sign this EUC must provide his/her name in this block.

4. SOCIAL SECURITY NUMBER (SSN)/ALIEN CARD NO./COUNTRY ID:

If the bid is for an individual, that individual's SSN must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their SSN in this block.

If the bid is in the name of a Permanent Resident, enter your Alien Identification Number.

If the bid is in the name of a Non-U.S. Citizen/National, non-Permanent Resident acting for a foreign government, enter your Country Identification Number

5. DATE OF BIRTH (DoB): Enter DoB as Month/Day/Year (MM/DD/YYYY).

If the bid is for an individual, that individual's Date of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Date of Birth in this block.

6. PLACE OF BIRTH (City or County, State, Country): City/County name must be spelled out. Only the two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's Place of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Place of Birth in this block.

7. TELEPHONE NUMBER: (Include Area Code).

If the bid is for an individual, that individual's telephone number (including Area Code) must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their telephone number (including Area Code) in this block.

8. MAILING ADDRESS: Enter complete mailing address. Street and City names must be spelled out; abbreviations are unacceptable. Post Office Box is acceptable. The two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's mailing address must be provided in this block.

If the bid for a business, the business's mailing address must provide in this block.

9. PHYSICAL ADDRESS: Enter complete physical address. Street and City names must be spelled out; abbreviations are unacceptable. The two-letter or standard abbreviation for the State or Country is acceptable. Entering Post Office Box is not acceptable.

If the bid is for an individual, that individual's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

If the bid is for a business, the business's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

SECTION I. GENERAL INFORMATION

10. BLOCK 1. TYPE OF FIRM:

If the bid is for an individual, enter "Not Applicable".

If the bid is for a business, check the box that most closely describes the organization:

- "Sole Proprietorship" = solitary owner/independent control
- "Partnership" = two or more persons contractually associated as joint principals in a business with joint rights and responsibilities.
- "Corporation" = an association or group of individuals united in trade or similar interests that has filed Articles of Incorporation.
- "Other" = (The signer of this EUC must check "Other" and specify affiliation with official bidder.)
 - = Principal (Person having controlling authority)
 - = Agent (Person acting for or in place of another by authority from him).

If the "Type of Firm" is a corporation, provide the state in which the Articles of Incorporation were filed. The two-letter standard abbreviation for the state or country is acceptable.

11. BLOCK 2. NATURE OF END-USER'S BUSINESS:

This should best describe the type business/interest of the ultimate end-user.

12. BLOCK 3 - NATURE OF PRINCIPAL'S BUSINESS

This should best describe the type business/interest of the official bidder.

13. BLOCK 4 - FIRM'S ID/FEDERAL TAX NUMBER:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name and that company does not have a Federal Tax Number but is using some other form of tax identifying number (i.e., a personal SSN) list that number and specify (i.e., SSN registered to (provide name)).

BLOCK 5 - BUSINESS/CORPORATION HEADQUARTERS

14. BLOCK 5A - NAME:

If bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the official company headquarters name in this block (include aliases/acronyms/trade styles).

15. BLOCK 5B - ADDRESS:

Give full physical address. Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter (or standard) abbreviation for State or Country is acceptable.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address of company headquarters. (Post Office Box is unacceptable).

BLOCK 6 - BRANCH OFFICE:

16. BLOCK 6A - NAME:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company name, the individual signing this EUC must provide all official company branch name(s) in this block (include aliases/acronyms/trade styles).

If the official company branch and headquarters' names are the same, enter "Same as Block 5A".
 If the bid is in a company's name and there is no branch office for this company, enter "Not Applicable".

17. BLOCK 6B - ADDRESS: Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter or standard abbreviation for State or Country is acceptable.

If the bid is in the name of an individual and there are no branch offices, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address (Street, City, State, and Zip) of all company branch office(s). (Post Office Box is unacceptable).

If company's branch and headquarters offices use the same address, enter "Same as Block 5B"

If there are no branch offices, enter "Not Applicable".

18. BLOCK 7 - ON SEPARATE SHEETS OF PAPER, ATTACH THE NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH OF CORPORATE

OFFICERS, PARTNERS AND/OR AGENTS.

Failure to comply will cause your transaction to be placed on hold or not considered.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is for a company, the required information for each of the Officers, Directors, and Partners is to be on separate sheets of paper.

SECTION II. END-USERS/USER INFORMATION

If this is a negotiated exchange, identify the item(s) you will be providing the government in this exchange:

BLOCK 1 - PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING:

Enter an "X" in the appropriate item(s) below. In the case of resale, item 1F or 1G must be marked in addition to any other item.

19. BLOCK 1A. RETENTION FOR THE FOLLOWING SPECIFIC USE (see note at bottom of page 1 of this form)

If property is being retained for official bidder's own use, explain intended use.

If statement in Block 1A does not apply, enter "Not Applicable" and go to Block 1B.

20. BLOCK 1B. Resold in form received for the following use (see note at bottom of page 1 of the form).

If property is being resold, give specific information about resale customer's intended use.

If statement in Block 1B does not apply, enter "Not Applicable" and go to Block 1C.

21. BLOCK 1C. The property will not be sold or otherwise disposed of for use outside of the U.S. or to non-U.S. Citizens/Nationals in the United States.

Check this box if applicable.

If statement in Block 1C does not apply, enter "Not Applicable" and go to Block 1D.

22. BLOCK 1D. The property may be re-exported in the form received to the following country/countries:

Check this box if applicable, and list the country (ies). Attach valid, current Department of State Registration (for export).

If statement in Block 1D. does not apply, enter "Not Applicable" and go to Block 1E.

23. BLOCK 1E. Resale after following alteration (description of final production):

Describe the altered product;

in (Country/Countries): List all countries where this product will be sold. (If necessary use a separate sheet of paper to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

and distribution in (Country/Countries): List all countries where this product will be distributed. (If necessary use a separate sheet to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

Attach valid, current Department of State Registration (for export).

If this statement does not apply to you, enter Not Applicable and go to Block 1G.

24. BLOCK 1F. If sold, name, address, and telephone number of sub-purchaser(s):

Provide the full name, physical address and telephone number of the individual/company that purchased the item(s).

If this block does not apply to you, enter Not Applicable.

25. BLOCK 1G. The customers are unknown at this time. If required by the contract/offer, I will obtain prior written approval for the resale of any of the property covered by this contract.

If this block does not apply to you, enter Not Applicable.

26. ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property that may be of value in considering the proposal:

If this block does not apply to you, enter Not Applicable.

PAGE 2
SECTION III - UNDERSTANDING AND NOTIFICATION

Please read carefully. This section cites the various laws and regulations you must comply with in the use of, disposition of and export of property.

SECTION IV - CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB.

This section is self-explanatory. By signing and dating this form, you are certifying that all the information you are providing is true and correct and you understand and agree to all the provisions in this end use certificate. This form will become part of the contract.

26. PARAGRAPH 4. The person signing this DLA Form 1822 is:

Check the block that applies to you and fill out any applicable portion.

28. BLOCK A - NAME (Type or Print)

Be sure your name is legible.

29. BLOCK B - SIGNATURE Be sure to sign this form

If signer of EUC is Officer, Director, Partner, Principal, Agent, etc., for official bidder, provide title/authority.

30. BLOCK C - DATE SIGNED Be sure you date this form.

ADDRESS CHANGE FORM

Old Information: PLEASE PRINT YOUR INFORMATION

Last Name _____

First Name _____

Company Name _____

Attention _____

Physical Address _____ (no P.O. Box)

City _____

State _____

Zip Code _____

Phone Number () _____

FAX Number () _____

Current Information: PLEASE PRINT YOUR INFORMATION

Last Name _____

First Name _____

Company Name _____

Attention _____

Physical Address _____ (no P.O. Box)

City _____

State _____

Zip Code _____

Phone Number () _____

FAX Number () _____

Please submit this page with your bid