



Invitation for Bid

Sealed Bid Sale

Sale Number

38-4628

ELECTRONIC TEST EQUIPMENT, MHE, VEHICLES, & MISC

Please be aware that the inventory is not being sold by a DRMO.
Any questions or comments please contact the
Sales Contracting Officer, Linda Lamphear at (269) 961-7400.

Bid Opening Date and Time
June 9, 2004; at 9:00 A.M. (EDST)

Inspection Period Begins:
June 1, 2004

Payment in Full Must Be
Received Prior to
Removal/Release of Property

Department of Defense
Defense Reutilization and Marketing Service
National Sales Office

Invitation For Bid
Sale Number
38-4628

Bid Opening Date
June 9, 2004; at 9:00 A.M. (EDST)

Bids will be accepted until opening date and time set for Bid opening.
Bids and all required documentation received after the bid opening date
may be determined late and not considered.

The bid acceptance period must be at least 10 days from the bid opening
or the bid will be considered nonresponsive.

Mail bids to:
Defense Reutilization and Marketing Service
National Sales Office - Bids
74 Washington Ave N STE 6
Battle Creek, MI 49017-3092

Fax bids to:
(269) 961-7568

Place bids electronically and view bid results at:
<http://www.drms.dla.mil>

Sales Contracting Officer (SCO) for this sale is:
Linda Lamphear, (269) 961-7400

Office Hours: 7:00 a.m. to 3:30 p.m. (EST/EDST)
Monday - Friday

PRIOR TO BID OPENING DATE:

For current and future sales information contact 1-888-352-9333. For How to Bid information contact the
Contracting Officer at (269) 961-7400

AFTER BID OPENING DATE:

For High Bid Information, which will not be furnished to bidders until after awards have been made (see
paragraph 3, page 3 of Sale by Reference), payments and refunds contact 1-888-352-9333

Unofficial abstracts are available for download/viewing at the DRMS Web site: www.drms.dla.mil

EXCHANGE SALE: This property is being offered in accordance with the exchange/sale provisions of Section
201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).

Payments

All payments must be made in U.S. currency or guaranteed instrument payable in
U.S. dollars to the Treasurer of the United States.

For additional information refer to the payment article in the Conditions of Sale in this catalog.

Credit cards accepted: VISA, Discover, MasterCard and American Express

Table of Contents

	Page Number
Item Description Index.....	2
List of Sale Items	5
Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)	21
Supply Condition Codes/Demilitarization Codes/Requirements.....	23
Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)	24
Articles	25
Inspection Dates and Times	27
Loading Table/Notes	28
Sale of Government Property Item Bid and Award Page	29
Credit Card Information	31
Letter of Authorization (DRMS Form 1646 Apr 2002).....	32
End Use Certificate (DLA Form 1822).....	33
Instructions for Completing DLA Form 1822.....	35

Item Description Index

<u>Description</u>	<u>Item Number</u>
AMPLIFIER, AUDIO-RADIO FREQUENCY	116
ANALYZER	49
ANALYZER, DISTORTION	62
ANALYZER, NETWORK	12
ANALYZER, NETWORK	82
ANALYZER, SPECTRUM	1
ANALYZER, SPECTRUM	3
ANALYZER, SPECTRUM	16
ANALYZER, SPECTRUM	25
ANALYZER, SPECTRUM	33
ANALYZER, SPECTRUM	69
ANALYZER, SPECTRUM	88
ANALYZER, SPECTRUM	89
ANALYZER, SPECTRUM	90
ANALYZER, SPECTRUM	91
ANALYZER, VIDEO INTEGRATING	20
ANALYZER, VIDEO INTEGRATING	83
CHASSIS, PLUG-IN UNIT, ELECTRONIC TEST	76
CHASSIS, PLUG-IN UNIT, ELECTRONIC TEST	100
COUNTER, ELECTRONIC, DIGITAL READOUT	34
COUNTER, ELECTRONIC, DIGITAL READOUT	60
COUNTER, ELECTRONIC, DIGITAL READOUT	102
COUNTER, ELECTRONIC, DIGITAL READOUT	103
DOWN CONVERTER	44
DRIVER, DIGITIZING	11
FILTER	68
FORKLIFT	123
FORKLIFT	124
GENERATOR, FUNCTION, ELECTRONIC TEST	14
GENERATOR, FUNCTION, ELECTRONIC TEST	15
GENERATOR, NOISE	94
GENERATOR, PULSE	6
GENERATOR, PULSE	7
GENERATOR, PULSE	18
GENERATOR, PULSE	52
GENERATOR, SIGNAL	13
GENERATOR, SIGNAL	36
GENERATOR, SIGNAL	37
GENERATOR, SIGNAL	43
GENERATOR, SIGNAL	45
GENERATOR, SIGNAL	50
GENERATOR, TONE	85
METER, AUDIO LEVEL	2
METER, AUDIO LEVEL	73

MIXER STAGE, FREQUENCY	8
MODULATION SECTION	39
MONITOR, DC SOURCE, MODULAR	41
MOP HEAD, WET	132
MULTIMETER	9
MULTIMETER	113
NETWORK ANALYZER	81
OHMMETER	54
OSCILLOSCOPE	17
OSCILLOSCOPE	23
OSCILLOSCOPE	24
OSCILLOSCOPE	28
OSCILLOSCOPE	29
OSCILLOSCOPE	30
OSCILLOSCOPE	38
OSCILLOSCOPE	40
OSCILLOSCOPE	56
OSCILLOSCOPE	58
OSCILLOSCOPE	59
OSCILLOSCOPE	70
OSCILLOSCOPE	71
OSCILLOSCOPE	74
OSCILLOSCOPE	79
OSCILLOSCOPE	84
OSCILLOSCOPE	95
OSCILLOSCOPE	96
OSCILLOSCOPE	97
OSCILLOSCOPE	106
OSCILLOSCOPE	108
OSCILLOSCOPE	109
OSCILLOSCOPE	111
OSCILLOSCOPE	112
OSCILLOSCOPE, DIGITAL STORAGE	57
OSCILLOSCOPE, DIGITIZING	46
PALLET JACK	121
PALLET JACK	122
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	4
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	5
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	47
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	48
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	55
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	67
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	104
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	105
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	107
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	110
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	114
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	115
PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT	120

POWER SUPPLY	72
POWER SUPPLY	101
POWER SUPPLY, HIGH VOLTAGE	92
RACK, ELECTRICAL EQUIPMENT	77
RACK, ELECTRICAL EQUIPMENT	78
RACK, ELECTRICAL EQUIPMENT	80
RECORDER, GRAPHIC LEVEL	10
REFLECTOMETER, METALLIC TIME DOMAIN	31
REFLECTOMETER, METALLIC TIME DOMAIN	32
REFLECTOMETER, METALLIC TIME DOMAIN	98
REFLECTOMETER, METALLIC TIME DOMAIN	99
REFLECTOR, OPTICAL TIME DOMAIN	61
RF PRESELECTOR	42
RF PRESELECTOR	75
SWITCH, ELECTRONIC	63
SWITCH, ELECTRONIC	64
SWITCH, ELECTRONIC	65
SWITCH, ELECTRONIC	66
SYNTHESIZER, ELECTRICAL FREQUENCY	19
SYNTHESIZER, ELECTRICAL FREQUENCY	53
SYNTHESIZER, ELECTRICAL FREQUENCY	93
TEST SET SUBASSEMBLY, ELECTRICAL & ELECTRONIC TEST EQUIPMENT	51
TEST SET SUBASSEMBLY, ELECTRICAL & ELECTRONIC TEST EQUIPMENT	119
TEST SET, ELECTRONIC SYSTEMS	22
TEST SET, RADIO	21
TEST SET, TELEPHONE	35
TIMER, INTERVAL	86
TIMER, INTERVAL	87
TOWELS, PAPER	130
TOWELS, PAPER	131
VAN, PASSENGER	125
VAN, PASSENGER	126
VAN, PASSENGER	128
VAN, PASSENGER	129
VEHICLE, SERVICE UTILITY	127
VOLTMETER	117
VOLTMETER	118
WATTMETER	26
WATTMETER	27

IT HAS BEEN DETERMINED THAT THIS PROPERTY IS NO LONGER NEEDED BY THE FEDERAL GOVERNMENT.

Items 1 - 120 are located at 6730 Bay Meadow Drive, Glen Burnie, MD

Item 1. ANALYZER, SPECTRUM:

Hewlett Packard Company, model 3560A, serial number 3109A00653. Frequency range rating: 0.040 to 31.25 MHz. Overall dimensions: 13"L x 8"W x 7"H.

NSN: 6625-01-456-7392
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 10 lbs
Acquisition Cost: \$4,000.00 1 EACH

Item 2. METER, AUDIO LEVEL:

Hewlett-Packard Company, model 8970B, serial number 3811U06504, noise meter. Rack mount; solid-state electronic circuitry; LED digital display; 100/240 VAC, 48/66 Hz, three phase. Performs noise figure measurements from 0-30 dB in frequency range of 10 – 1600 MHz. Overall dimensions: 18.8"L x 16.8"W x 5.75"H.

NSN: 6625-01-257-7152
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 34 lbs
Acquisition Cost: \$6,000.00 1 EACH

Item 3. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3585B, serial number 2933A00668. Voltage rating: 115/230 VAC. Frequency rating: 48/440 Hz. Frequency range rating: 0.000 /40.100 MHz. Recording device type: X-Y recorder. Special features: 80.0 to 100.0 dB dynamic range; PORM 0.25 typical level accuracy; 50, 75, 1 mega ohm inputs; 3 Hz resolution bandwidth. Overall dimensions: 25"L x 16.75"W x 9"H.

NSN: 6625-01-327-7229
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 81 lbs
Acquisition Cost: \$28,116.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 4. PLUG-IN UNIT, ELECTRICAL - ELECTRONIC TEST:

Tektronix Inc., model 7A26, serial number B243384, dual trace amplifier. General fault isolation. Overall dimensions: 13.7"L x 2.625"W x 5"H.

NSN: 6625-00-361-5318
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 1 lb
Acquisition Cost: \$3,131.60 1 EACH

Item 5. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT:

Tektronix Inc., model 7A22, serial number B119602, differential input amplifier. Overall dimensions: 14"L x 2.8"W x 5"H.

NSN: 6625-00-478-0597
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 1 lb
Acquisition Cost: \$1,843.49 1 EACH

Item 6. GENERATOR, PULSE:

Hewlett-Packard Company, model 8011A, serial number 2111A13313. Voltage rating: 100/120/200/240 VAC. Frequency rating: 48/440 Hz. Calibration function: Impedance and pulse repetition. Repetition rate is 0.1 Hz to 20.0 MHz. Positive, negative, symmetrical output. Normal/complement switch. Switchable 50-ohm source. Overall dimensions: 11.8"L x 7.9"W x 5.6"H.

NSN: 6625-01-022-2247
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 9 lbs
Acquisition Cost: \$895.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 7. GENERATOR, PULSE:

Hewlett-Packard Company, model 8011A, serial number 2111A15193. Voltage rating: 100/120/200/240 VAC. Frequency rating: 48/440 Hz. Calibration function: Impedance and pulse repetition. Repetition rate is 0.1 Hz to 20.0 MHz. Positive, negative, symmetrical output. Normal/complement switch. Switchable 50-ohm source. Overall dimensions: 11.8"L x 7.9"W x 5.6"H.

NSN: 6625-01-022-2247
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 9 lbs
Acquisition Cost: \$895.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)

**PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD**

Item 8. MIXER STAGE, FREQUENCY:

Hewlett-Packard Company, model 5364A, serial number 3007A000239. Solid-state circuitry. 50/60 Hz, single phase, 115 VAC. Microwave mixer/down converter; 2 to 18 GHz input frequency range. Overall dimensions: 13.5"L x 8.375"W x 5.25"H.

NSN: 6625-01-399-6863
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 10 lbs
Acquisition Cost: \$2,280.49 1 EACH

Item 9. MULTIMETER:

Fluke Corporation, model 8050A, serial number 4435187. Portable. Overall dimensions: 10"L x 8"W x 3"H.

NSN: 6625-01-115-2141
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$520.00 1 EACH

Item 10. RECORDER, GRAPHIC LEVEL:

B-K Medical Systems, Inc., model 2306, serial number 728868. Records AC signals in the frequency range 1.6 Hz to 20, and DC signals. Overall dimensions: 3.5"L x 10"W x 7"H.

NSN: 6625-01-020-1804
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 10 lbs
Acquisition Cost: \$3,302.00 1 EACH

Item 11. DRIVER, DIGITIZING:

Tektronix Inc., model 11402, serial number 33768B, oscilloscope. Options include 1C (Cable Feed Thru), 1R (Rack Mount), 2D (Expansion Memory), and 4D (DMA Controller). Includes model 11A52, serial number B021127, amplifier plug-in unit and two each model 11A34, serial numbers B031922 and B031919, radio frequency amplifiers. Overall dimensions: 22"L x 17"W x 9"H.

NSN: 6625-01-281-9746
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 50 lbs
Acquisition Cost: \$14,725.00 1 EACH

Item 12. ANALYZER, NETWORK:

Hewlett-Packard Company, model 8510C, serial number 3125A05868. Network analysis system component of 8510B Analyzer, S-parameter test set and a compatible RF source. Frequency range: 45 MHz to 50 GHz. Measurement capabilities: Transmission/reflection characteristics, S-parameters, active device characterization, full accuracy enhancement, time domain

capability (with option 010), HP-IP programmable. Overall dimensions: 21"L x 17"W x 5"H.

NSN: 6625-01-361-1122
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 30 lbs
Acquisition Cost: \$30,275.00 1 EACH

Item 13. GENERATOR, SIGNAL:

Hewlett Packard Company, model 8655B, serial number 3020A00154. High performance signal generator, 6 GHz. Overall dimensions: 25"L x 19"W x 7"H.

NSN: 6625-01-497-8832
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 65 lbs
Acquisition Cost: \$35,957.00 1 EACH

Item 14. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett-Packard Company, model 3325A, serial number 1748A18281. Nainsynthesizer function generator. Sine, square, triangle, negative and positive ramps. Power rating: 100/120/220/240 VAC, 48/66 HZ, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$4,400.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 15. GENERATOR, FUNCTION, ELECTRONIC TEST:

Hewlett-Packard Company, model 3325A, serial number 1748A06701. Nainsynthesizer function generator. Sine, square, triangle, negative and positive ramps. Power rating: 100/120/220/240 VAC, 48/66 HZ, 60 VA. Overall dimensions: 19.625"L x 16.75"W x 5.25"H.

NSN: 6625-01-107-8152
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$4,400.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)

PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 16. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 89410A, serial number 3416A02204. Frequency range rating: 0.000 to 10.000 MHz. Voltage rating: 115/230 VAC. One frequency channel. Operating temperature: 0 to 55 degrees Celsius. Overall dimensions: 19"L x 17"W x 9"H.

NSN: 6625-01-448-8576
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$2,000.00 1 EACH

Item 17. OSCILLOSCOPE:

Tektronix Inc., model TDS-540, serial number B011580. Voltage rating: 90/250 VAC. 4 Beam quantity. Sweep circuits included. Amplifier deflection provided. Input intensity modulation feature provided. 500 MHz bandwidth. Overall dimensions: 17.5"L x 17"W x 7.8"H.

NSN: 6625-01-367-0290
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$15,057.00 1 EACH

Item 18. GENERATOR, PULSE:

Hewlett-Packard Company, model 8013B, serial number 2110A15689. Frequency per channel: 50 MHz nominal. Frequency adjustment type: Continuous. Impedance rating per channel: 50 ohms. Frequency rating: 48/400 Hz. External operating voltage: 100/120/220/240 VAC. Operating temperature: 0 to 55 degrees Celsius. Overall dimensions: 13"L x 7.9"W x 5.6"H.

NSN: 6625-01-010-3524
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 10 lbs
 Acquisition Cost: \$1,810.00 1 EACH

Item 19. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett Packard Company, model 3325B, serial number 2847A02887. Operating temperature: 0 to 55 degrees Celsius. 240 VAC, 48/66 Hz. Overall dimensions: 19.630"L x 16.75"W x 5.25"H.

NSN: 6625-01-297-9969
 DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$8,972.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 20. ANALYZER, VIDEO INTEGRATING:

Hewlett-Packard Company, model 8980A, serial number 2805A000267. AC Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Cathode ray tube indicator. 350 MHz bandwidth; markers for measuring phase, amplitude, time. Analyzes coherent phase and amplitude modulation. Overall dimensions: 24"L x 17"W x 5.25"H.

NSN: 6625-01-319-9490
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 45 lbs
 Acquisition Cost: \$17,094.13 1 EACH

Item 21. TEST SET, RADIO:

Hewlett-Packard Company, model 3709A, serial number 2544000193. Designed for analysis of constellation patterns; linear and non-linear distortion. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-295-6045
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acquisition Cost: \$8,368.00 1 EACH

Item 22. TEST SET, ELECTRONIC SYSTEMS:

Data Check, model 6110, serial number 316. 10 Hz to 10 MHz sine wave oscillator frequency range. 10 Hz to 1 MHz square wave oscillator frequency range. 0.001 to 30.0 VAC voltmeter range. M60 to P30 dB decimal meter range. 0.3 to 10% automatic ranging. 100 Hz to 1 MHz distortion analyzer. 100 Hz to 3 MHz automatic frequency ranging counter. 100 Hz to 3 MHz range wideband tunable wave analyzer. Overall dimensions: 12"L x 18"W x 5"H.

NSN: 6625-01-019-9975
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 25 lbs
 Acquisition Cost: \$11,644.15 1 EACH

Item 23. OSCILLOSCOPE:

Tektronix Inc., model 2236, serial number B023163, 100 MHz ruggedized oscilloscope. Frequency rating: 48/440 Hz. Voltage rating: 100/132 VAC. Two beam; horizontal and vertical sweep circuits. DC to 100 MHz bandwidth; integrated counter/timer; 2 mV sensitivity; advanced trigger system; 5 NS/div sweep rate; delayed sweep measurements; 10x probe; 9-digit, 7-segment vacuum-florescent panel. A 100 MHz counter/timer/DMM is integrated into the scope's vertical, horizontal and trigger systems; this feature simplifies setups by allowing consolidated set-ups and combinations of measurements; heightens measurement confidence and expands the scope's versatility. Overall dimensions: 17"D x 10.8"W x 8.3"H.

NSN: 6625-01-245-8406
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 28 lbs
 Acquisition Cost: \$3,493.55 1 EACH

Item 24. OSCILLOSCOPE:

Tektronix Inc., model 2440, serial number B012441. Overall dimensions: 18"L x 12"W x 6"H.

NSN: 6625-01-339-2391
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$11,000.00 1 EACH

Item 25. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 8562A, serial number 2724A00894. Frequency range rating: 0.001 to 22000 MHz. Overall dimensions: 18"L x 13"W x 7"H.

NSN: 6625-01-272-2797
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$32,250.00 1 EACH

Item 26. WATTMETER:

Hewlett-Packard Company, model 436A-022, serial number 1803A04418. Frequency rating: 48/440 Hz. Option 22 = digital input/output fully HP-IB compatible; Frequency range: 100 to 110 GHz. Power range: -70 to 44 dBm (100 pW to 25 W). 4 1/2 - digit LED display type. Overall dimensions: 11"L x 8.4"W x 5.2"H.

NSN: 6625-01-070-9418
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acquisition Cost: \$12,382.99 1 EACH

Item 27. WATTMETER:

Hewlett-Packard Company, model 436A-022, serial number 2709A27196. Frequency rating: 48/440 Hz. Option 22 = digital input/output fully HP-IB compatible; Frequency range: 100 to 110 GHz. Power range: -70 to 44 dBm (100 pW to 25 W). 4 1/2 - digit LED display type. Overall dimensions: 11"L x 8.4"W x 5.2"H.

NSN: 6625-01-070-9418
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 10 lbs
 Acquisition Cost: \$12,382.99 1 EACH

Item 28. OSCILLOSCOPE:

Tektronix Inc., model 2445B, serial number B052690. Frequency rating: 48/440 Hz. Single phase. Two beams. Horizontal and vertical sweep circuits. Sweep frequency range: 0.0 to 200 MHz. Frequency response rating: 200 MHz nominal. Voltage rating: 90 VAC minimum and 440 VAC maximum. Overall dimensions: 17.1"L x 13.3"W x 7.5"H.

NSN: 6625-01-178-9491

DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$3,927.85 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 29. OSCILLOSCOPE:

Hewlett-Packard Company, model 54600A, serial number 3134A04047. Overall dimensions: 12"L x 12"W x 7"H.

NSN: 6625-01-446-4485
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$2,200.00 1 EACH

Item 30. OSCILLOSCOPE:

Tektronix Inc., model 2336, serial number B013801. Horizontal and vertical sweep circuits included. Sweep frequency range: 0.0/85.0 MHz. Trigger sweep polarity switch included. Overall dimensions: 17.5"L x 14.2"W x 5.4"H.

NSN: 6625-01-146-8653
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$3,719.07 1 EACH

Item 31. REFLECTOMETER, METALLIC TIME DOMAIN:

Tektronix Inc., model 1502, serial number R118305. Metallic cable tester; used to identify and locate cable faults. 117 VAC, 12 VDC, 48 Hz and 410 Hz. Maximum measured distance: 2000 feet. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-003-5561
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$5,141.24 1 EACH

Item 32. REFLECTOMETER, METALLIC TIME DOMAIN:

Tektronix Inc., model 1503C, serial number B024139. Metallic cable tester; used to identify and locate cable faults. 115 VAC, 12 VDC, 60 Hz, single phase. Maximum measured distance: 50000 feet. Overall dimensions: 19"L x 11"W x 6.5"H.

NSN: 6625-01-323-1521
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 23 lbs
 Acquisition Cost: \$8,000.00 1 EACH

Item 33. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3561A, serial number 2338A00323. Frequency range rating: 0.125 to 100.000. Individual plug-in unit frequency: 7.5. AC voltage rating: 30.0 volts nominal. Provides high performance signal analysis. Overall dimensions: 23.4"L x 13.2"W x 7.8"H.

NSN: 6625-01-200-5288
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
 Estimated Weight: 30 lbs
 Acquisition Cost: \$35,000.00 1 EACH

Item 34. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5385A, serial number 2436A01225, frequency counter. Frequency range: 0.000 to 1.000 GHz. Overall dimensions: 11"L x 8"W x 4"H.

NSN: 6625-01-176-8354
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 8 lbs
 Acquisition Cost: \$3,111.22 1 EACH

THE FOLLOWING ARTICLES APPLY:

- PART 05-I: Military Munitions List Items (MLI)
- PART 05-J: Commerce Control List Items (CCLI)
- PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 35. TEST SET, TELEPHONE:

Hewlett-Packard Company, model 3551A, no serial number. Designed to test tone and noise levels, frequency, and alignment of high priority 4-wire Autovon circuits. Receiver and transmitter frequency range: 40 Hz to 60. 100/240 VAC, 48/440 Hz, single phase. Used for measurements on voice, program, and data circuits up to 50 kb/s. Overall dimensions: 13.5"L x 10"W x 5.25"H.

NSN: 6625-01-062-0176
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 13 lbs
 Acquisition Cost: \$3,243.99 1 EACH

Item 36. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8664A, serial number 3203A00229, 3 GHz, bench mounted, AM & FM signal generator. Frequency range rating: 0.100 to 3000.000 MHz. Calibrated signal output range: P13.0 to M139.9 dBm. Voltage rating: 100/120/220/240 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 25"L x 17"W x 8"H.

NSN: 6625-01-379-5878
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$19,000.00 1 EACH

Item 37. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8780A, serial number 2708A000158, 700 MHz of arbitrary modulation using vector or "I, Q" inputs; coherent carrier output; wideband FM, over 50 MHz P-P deviations. Frequency range rating: 0.01 to 3.00 GHz. Pulse modulation type. Overall dimensions: 25.1"L x 16.7"W x 7"H.

NSN: 6625-01-310-2931
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 60 lbs
 Acquisition Cost: \$57,395.00 1 EACH

Item 38. OSCILLOSCOPE:

Hewlett-Packard Company, model 54111D, serial number 2733A00606, 1 gigasample/second two-channel, digitizing w/8k samples memory depth; automatic measurements; autoscaling, cursors, color display; scroll; zoom and memory bar; 500 MHz repetitive bandwidth; 250 MHz single-shot bandwidth; up to 8 bits of vertical resolution w/bandwidth limits; HP-IB programmable; hardcopy output; flexible display modes; high speed ECL design; laser and high energy research. Overall dimensions: 25"L x 17"W x 8"H.

NSN: 6625-01-260-3060
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$24,129.30 1 EACH

Item 39. MODULATION SECTION:

Hewlett-Packard Company, model 8663A, serial number 2716A01246. Overall dimensions: 25"L x 17"W x 8"H.

NSN: 6625-01-138-8303
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$49,114.00 1 EACH

Item 40. OSCILLOSCOPE:

Hewlett-Packard Company, model 54111D, serial number 2928A02648. 1 gigasample/second two-channel, digitizing w/8k samples memory depth; automatic measurements; autoscaling, cursors, color display; scroll; zoom and memory bar; 500 MHz repetitive bandwidth; 250 MHz single-shot bandwidth; up to 8 bits of vertical resolution w/bandwidth limits; HP-IB programmable; hardcopy output; flexible display modes; high speed ECL design; laser and high energy research. Overall dimensions: 25"L x 17"W x 10"H.

NSN: 6625-01-260-3060
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$24,129.30 1 EACH

Item 41. DC SOURCE MONITOR, MODULAR:

Hewlett-Packard Company, model 4142B, serial number 3121J01803. Overall dimensions: 25"L x 17"W x 8"H

FSC: 5895
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$3,500.00 1 EACH

Item 42. RF PRESELECTOR:

Hewlett-Packard Company, model 85685A, serial number 2620A00274. Overall dimensions: 25"L x 17"W x 6"H.

NSN: 6625-01-302-5059
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 40 lbs
Acquisition Cost: \$20,000.00 1 EACH

Item 43. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8662A, serial number 2033A00507. Frequency range: 0.001 to 1280.0 MHz. Maximum signal output: 1v to 0.023 microvolts RMS into 50 ohms. Signal output constancy: PORM 1 dB between 13 and minus 120 dBm. Output impedance rating: 50.0 ohms nominal. Internal modulator, AM and FM modulation, AC current. Voltage rating: 115/230 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 22.5"L x 16.75"W x 7"H.

NSN: 6625-01-200-3001
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 40 lbs
Acquisition Cost: \$35,244.00 1 EACH

44. DOWN CONVERTER:

Hewlett-Packard Company, model 89411A, serial number 3335A00200. Overall dimensions: 18"L x 15"W x 4"H.

FSC: 5895
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 15 lbs
Acquisition Cost: \$21,000.00 1 EACH

45. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8656A, no serial number. Frequency range: 0.100 to 990.0 MHz. Calibrated signal output range: minus 127 dB to plus 13 dB. Internal modulator, AM and FM modulation type, AC current. Modulated frequency rating: 0.400/1.0 kHz. Voltage rating: 100/240 VAC. Frequency rating: 48/66 Hz. Overall dimensions: 21"L x 17"W x 5"H.

NSN: 6625-01-130-5649
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 45 lbs
Acquisition Cost: \$6,821.17 1 EACH

46. OSCILLOSCOPE, DIGITIZING:

Hewlett-Packard Company, series 3010, model 51089A, serial number 2910A00637. Overall dimensions: 22"L x 17"W x 6"H.

FSC: 6625
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$30,000.00 1 EACH

47. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7A26, serial number B272419, dual trace amplifier. Functional description: general fault isolation. Overall dimensions: 13.7"L x 2.625"W x 5"H.

NSN: 6625-00-361-5318
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 1 lb
Acquisition Cost: \$3,131.60 1 EACH

48. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model AM502, serial number B056816, differential input amplifier. Plugs into any Tektronix TM500 power module; can drive oscilloscopes, monitors, chart recorders, display, or processing devices. Overall dimensions: 12.2"L x 2.6"W x 5"H.

NSN: 6625-00-531-5127
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$1,500.00 1 EACH

49. ANALYZER:

Hewlett-Packard Company, model 650D, serial number 2945A02284. Overall dimensions: 14"L x 17"W x 9"H.

NSN: 6625-01-275-8775
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$12,000.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 50. GENERATOR, SIGNAL:

Hewlett-Packard Company, model 8656B, serial number 2838U06486. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-209-2468
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$16,500.00 1 EACH

Item 51. TEST SET SUBASSEMBLY, ELECTRICAL AND ELECTRONIC TEST EQUIPMENT:

Hewlett-Packard Company, model 85662A, serial number 2816A16059, spectrum analyzer. Usage design: intermediate frequency subassembly. Overall dimensions: 20"L x 17"W x 5"H.

NSN: 6625-01-150-24146
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$29,400.00 1 EACH

Item 52. GENERATOR, PULSE:

Hewlett-Packard Company, model 8118A, serial number 2828G00260. Overall dimensions: 20"L x 23"W x 5.5"H.

NSN: 6625-01-441-4355
 DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 39 lbs
 Acquisition Cost: \$25,000.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 53. SYNTHESIZER, ELECTRICAL FREQUENCY:

Hewlett-Packard Company, model 3325B, serial number 5847A04223. Operating temperature: 0 to 55 degree Celsius; 240 VAC; 48/66 Hz. Overall dimensions: 19.63"L x 16.75"W x 5.25"H.

NSN: 6625-01-297-9969
 DEMIL CODE: Q

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 25 lbs
 Acquisition Cost: \$8,972.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 54. OHMMETER:

Hewlett-Packard Company, model 4193A, serial number 2830J01858. LED digital display. Measurements range 400.0 to 11000.0 kHz. Accuracy rating: 3.0% of reading single indicator

single range. Switch scale selection method. 100/120/220/240 VAC. 48/66 Hz. Impedance measurement range: 10.0 Megohms to 120 kilohms: Phase measurement range: plus 180.0 degrees to minus 180 degrees. Measures spot or swept frequency; measure impedance magnitude and phase; test components in-circuit and out-of-circuit; standard HP-IB and analog outputs. Overall dimensions: 19.6"L x 16.75"W x 7"H.

NSN: 6625-01-166-7238
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$10,006.25 1 EACH

Item 55. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model SG505, serial number B093228, oscillator. Overall dimensions: 20"L x 4"W x 5"H.

NSN: 6625-01-150-7879
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 10 lbs
 Acquisition Cost: \$2,000.00 1 EACH

Item 56. OSCILLOSCOPE:

Tektronix Inc., model SC503, serial number B124149. Sweep circuit type: horizontal and vertical. Z-Axis input impedance rating: 1.5 kilohms nominal. Maximum storage writing speed: 80 millimeters per second. Trace erasing provision provided. Overall dimensions: 17"L x 8"W x 5"H.

NSN: 6625-01-122-3501
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$8,500.00 1 EACH

Item 57. OSCILLOSCOPE, DIGITAL STORAGE:

Sony, model 336, serial number B302962. Overall dimensions: 17"L x 8"W x 5"H.

FSC: 6625
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 12 lbs
 Acquisition Cost: \$5,000.00 1 EACH

Item 58. OSCILLOSCOPE:

Tektronix Inc., model SC503, serial number unknown. Sweep circuit type: horizontal and vertical. Z-axis input impedance rating: 1.5 kilohms nominal. Maximum storage writing speed: 80.0 millimeters per second. Trace erasing provision provided. Overall dimensions: 12"L x 8"W x 5"H.

NSN: 6625-01-122-3501
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs

Acquisition Cost: \$8,500.00 1 EACH

Item 59. OSCILLOSCOPE:

Tektronix Inc., model SC503, serial number unknown. Sweep circuit type: horizontal and vertical. Z-axis input impedance rating: 1.5 kilohms nominal. Maximum storage writing speed: 80.0 millimeters per second. Trace erasing provision provided. Overall dimensions: 12"L x 8"W x 5"H.

NSN: 6625-01-122-3501
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$8,500.00 1 EACH

Item 60. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5335A, serial number 2120A01518. Frequency range: 0.0 to 200.0 MHz F1 input ratio and 0.0 to 100.0 MHz F2 input ratio. 12-digit numeric readout tube, decimal point position provided. 100/240 VAC, 48/66 Hz. Single phase. Overall dimensions: 16.75"L x 13.5"W x 5.25"H.

NSN: 6625-01-127-4955
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$8,500.00 1 EACH

Item 61. REFLECTOMETER, OPTICAL TIME DOMAIN:

Laser Precision, model TD-9920, serial number 216. External power source. Voltage in volts and current type: 12.0 DC and 120.0 AC. Optical pulse wavelength in nanometers: 850. Maximum distance in meters: 10.0 kilometers. Alphanumeric readout of dB loss, relative and absolute distances; real time display and dwell mode; portable; bottom fit rechargeable battery; 3- inch CRT display in real time and averaged modes. Overall dimensions: 20.5"L x 13.5"W x 6.5"H

NSN: 6625-01-127-3267
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$11,000.00 1 EACH

Item 62. ANALYZER, DISTORTION:

Hewlett-Packard Company, model 339A, serial number 2502A08540. Overall dimensions: 14"L x 18"W x 5"H

NSN: 6625-01-087-7258
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 25 lbs
Acquisition Cost: \$6,521.89 1 EACH

Item 63. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2719A13285. Solid state, freestanding. Switch control unit for test

switching requirements. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 19 lbs
Acquisition Cost: \$6,000.00 1 EACH

Item 64. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2719A18486. Solid state, freestanding. Switch control unit for test switching requirements. Overall dimensions: 16.75"L x 11.5"W x 3.5"H

NSN: 6625-01-182-2949
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 19 lbs
Acquisition Cost: \$10,000.00 1 EACH

Item 65. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2240A02349. Solid state, freestanding. Switch control unit for test switching requirements. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 19 lbs
Acquisition Cost: \$6,000.00 1 EACH

Item 66. SWITCH, ELECTRONIC:

Hewlett-Packard Company, model 3488A, serial number 2719A04369. Solid state, freestanding. Switch control unit for test switching requirements. Overall dimensions: 16.75"L x 11.5"W x 3.5"H.

NSN: 6625-01-182-2949
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 19 lbs
Acquisition Cost: \$6,000.00 1 EACH

Item 67. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model FG502, serial number B048372, function generator. Overall dimensions: 12"L x 2.6"W x 5"H.

NSN: 6625-01-010-6783
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 3 lbs
Acquisition Cost: \$7,500.00 1 EACH

Item 68. FILTER:

Xetron Company, model TM-1, serial number 114. Overall dimensions: 12"L x 3"W x 5"H.

FSC: 5915
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$900.00 1 EACH

Item 69. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3562A, serial number 2435A00392. Frequency range rating: 0.0 to 100.0 kHz. Frequency band quantity: 2; Frequency channel quantity: 2. Input impedance rating: 1.0 Megohms nominal. Voltage rating: 115/230 VAC. Frequency rating: 48/440 Hz. Recording device accommodation provided. Overall dimensions: 22.75"L x 16.75"W x 8.75"H.

NSN: 6625-01-305-1123
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 56 lbs
 Acquisition Cost: \$22,680.00 1 EACH

Item 70. OSCILLOSCOPE:

Tektronix Inc., model 2215, serial number B032571. Screen size 8 by 10 centimeters. Beam quantity: 4. Sweep circuits included; horizontal and vertical type. Generator driven feature not included. Sweep frequency range: 0.0 to 60.0 MHz. Trigger sweep polarity switch included. Trace storage tube not included. Camera recording device accommodation provided. Voltage rating: 90.0/ 250.0 VAC. Frequency rating: 48.0/ 440.0 Hz. Overall dimensions: 17.5"L x 14.2"W x 5.4"H

NSN: 6625-01-160-0217
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$3,406.63 1 EACH

Item 71. OSCILLOSCOPE:

Tektronix Inc., model 2440, serial number B013447. Parts missing including controller. Overall dimensions: 18"L x 12"W x 10"H.

NSN: 6625-01-339-2391
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 15 lbs
 Acquisition Cost: \$12,000.00 1 EACH

Item 72. POWER SUPPLY:

Hewlett-Packard Company, model 85901A, serial number 3052K01370. Output voltage rating: 135/270 VAC. Output frequency rating: 60.0 Hz nominal single power output. Output wattage rating: 200 watts nominal single power output. Input voltage rating: 10.8/ 14.5 VDC, 1st operating power requirement. 90.0/250.0 VAC, 2nd operating power requirement. Input frequency rating: 47/66 Hz, 2nd operating power requirement. Overall dimensions: 18"L x 12"W x 4"H.

NSN: 6130-01-318-0249
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$9000.00 1 EACH

Item 73. METER, AUDIO LEVEL:

Hewlett-Packard Company, model 11848A, serial number 2830A00351. Solid state, bench mount. Frequency rating: 48/66 Hz. Special features: included inside this interface are the phase detectors, amplifiers, filters, switches (phase lock-loop circuitry), the HP 3561A dynamic signal analyzer & measurement software (available in RMB or MS-DOS compatible formats). Functional description: Demodulates the phase noise of a carrier in the frequency range of 5 MHz to 18 MHz & measures the resulting signal with the analyzer. Overall dimensions: 25"L x 18"W x 6"H

NSN: 6625-01-398-9101
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$32,420.34 1 EACH

Item 74. OSCILLOSCOPE:

Tektronix Inc., model 5111A, serial number B011745. Special features: 2MHz mainframe provides writing speeds to 50 DIV/MS, dual X-Y operations. Overall dimensions: 18"L x 18"W x 5"H.

NSN: 6625-01-351-0229
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$4,755.00 1 EACH

Item 75. RF PRESELECTOR:

Hewlett-Packard Company, model 85685A, serial number 2620A00290. Overall dimensions: 25"L x 18"W x 5"H.

NSN: 6625-01-302-5059
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 40 lbs
 Acquisition Cost: \$18,933.00 1 EACH

Item 76. CHASSIS, PLUG-IN UNIT, ELECTRONIC TEST:

Hewlett-Packard Company, model #16500A, serial number US37480908, analyzer. Touch screen or mouse control; two 3.5 in floppy drives; inter-card triggering via intermodule bus; screen hardcopy/programmability via RS-232 plus HP-IB; simultaneous display of state timing; oscilloscope traces. Overall dimensions: 20"L x 16"W x 9"H.

NSN: 6625-01-306-9711
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 50 lbs
 Acquisition Cost: \$6,000.00 1 EACH

Item 77. RACK, ELECTRICAL EQUIPMENT:

Tektronix Inc., model TM504, serial number B038482. Overall dimensions: 18"L x 12"W x 5"H.

NSN: 6625-01-013-5160
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 30 lbs
 Acquisition Cost: \$2,500.00 1 EACH

Item 78. RACK, ELECTRICAL EQUIPMENT:
 Tektronix Inc., model TM504, serial number B033402. Overall dimensions: 17"L x 12"W x 5"H.

NSN: 6625-01-013-5160
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$2,500.00 1 EACH

Item 79. OSCILLOSCOPE:
 Tektronix Inc., model 2430A, serial number B014402. Overall dimensions: 18"L x 12"W x 5"H

NSN: 6625-01-257-2868
 DEMIL CODE: B
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$8,740.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 80. RACK, ELECTRICAL EQUIPMENT:
 Tektronix Inc., model TM504, serial number B200964. Overall dimensions: 18"L x 12"W x 5"H.

NSN: 6625-01-013-5160
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$3,000.00 1 EACH

Item 81. NETWORK ANALYZER:
 Consisting of:
 1 Each: Hewlett-Packard Company, model 3577A, serial number 2503A12400. Frequency range 5 Hz – 200 MHz. Overall dimensions: 22.75"L x 16.75"W x 8.75"H. NSN: 6625-01-193-3073. DEMIL CODE: A

1 Each: Hewlett-Packard Company, model 35677A, serial number 2506A01235, radio frequency power test set. Frequency range: 0.300 to 200.0 MHz. Input impedance rating: 50.0 ohms nominal. Makes transmission and reflection measurements in both forward and reverse direction. Overall dimensions: 22.75"L x 16.75"W x 3.5"H.

NSN: 6625-01-257-5604

DEMIL CODE: B
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight Analyzer: 60 lbs
 Acquisition Cost: \$28,408.00 1 LOT

THE FOLLOWING ARTICLES APPLY:
 PART 05-I: Military Munitions List Items (MLI)
 PART 05-J: Commerce Control List Items (CCLI)
 PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 82. ANALYZER, NETWORK:
 Hewlett-Packard Company, model 4192A, serial number 2150J03221. Digital display. Voltage rating: 100/240 VAC. Frequency rating: 48/ 66 Hz. Single phase. Impedance analyzer used for LF, PA and ATU tests. 5 Hz to 13 MHz variable measuring frequency; gain phase measurement, amplitude, phase and delay. Performs both network and impedance analysis on telecommunication filters, audio/video electronic circuits, and basic electronic components. Overall dimensions: 22.6"L x 16.75"W x 9"H.

NSN: 6625-01-135-3025
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 42 lbs
 Acquisition Cost: \$17,571.40 1 EACH

Item 83. ANALYZER, VIDEO INTEGRATING:
 Hewlett-Packard Company, model 8980A, serial number 2828A00310. Indicator type: Cathode ray tube. Voltage rating: 100/240 VAC. Frequency rating: 44/66 Hz. Single phase. Special features: 350 MHz Q VX. I Bandwidth; markers for measuring phase, amplitude, time; 12-bit digitizing for HP-IB measurements. Functional description: analyzes coherent phase and amplitude modulation. Overall dimensions: 20"L x 14"W x 5.25"H.

NSN: 6625-01-319-9490
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 45 lbs
 Acquisition Cost: \$17,898.00 1 EACH

Item 84. OSCILLOSCOPE:
 Tektronix Inc., model TAS485, serial number B010534. Screen size 8 by 10 cm. Sweep circuits included; sweep circuit type: horizontal and vertical; sweep frequency range: 0.0 to 340.0 MHz. Trigger sweep polarity switch included. Amplifier deflection sensitivity provision provided. Frequency response rating provided. X-Axis frequency response rating: 1.0 MHz nominal. Y-Axis frequency response rating: 1.0 MHz nominal. Calibrated screen scale included. Graduation interval: graduated in V/CM both axis. Voltage rating: 90/136/180/272 VAC. Frequency rating: 48/440 Hz. Single phase. Overall dimensions: 18.5"L x 12"W x 6.6"H.

NSN: 6625-00-548-8181
 DEMIL CODE: A
 CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 20 lbs
 Acquisition Cost: \$12,000.00 1 EACH

Item 85. TONE GENERATOR:

Consisting of:

 1 Each: Hewlett-Packard Company, model 10831A, serial number 1640A00124, tone generator. Overall dimensions: 12"L x 18" W x 4"H. FSC: 6625. DEMIL CODE: A

 1 Each: Hewlett-Packard Company, model 10830A, serial number 1708A00124, RF amplifier. FSC: 5895. DEMIL CODE: A

 1 Each: Hewlett-Packard Company, model 59309A, serial number 1712A00984, digital clock. NSN: 6645-01-021-5491. DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 23 lbs
 Acquisition Cost: \$6,100.00 1 LOT

Item 86. TIMER, INTERVAL:

Stanford Research Systems, model SR620, serial number 198. Overall dimensions: 15"L x 15"W x 3"H.

 NSN: 6645-01-510-4815
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 5 lbs
 Acquisition Cost: \$10,000.00 1 EACH

Item 87. TIMER, INTERVAL:

Stanford Research Systems, model SR620, serial number 199. Overall dimensions: 15"L x 15"W x 3"H.

 NSN: 6645-01-510-4815
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 5 lbs
 Acquisition Cost: \$10,000.00 1 EACH

Item 88. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3560A, serial number 3109A00248. Frequency range rating: 0.040 to 31.250 MHz. Overall dimensions: 12"L x 8"W x 4"H.

 NSN: 6625-01-456-7392
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$7,500.00 1 EACH

Item 89. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3560A, serial number 3109A00377. Frequency range rating: 0.040 to 31.250 MHz. Overall dimensions: 12"L x 8"W x 4"H.

 NSN: 6625-01-456-7392
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$7,500.00 1 EACH

Item 90. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3560A, serial number 3109A00275. Frequency range rating: 0.040 to 31.250 MHz. Overall dimensions: 12"L x 8"W x 4"H.

 NSN: 6625-01-456-7392
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$7,500.00 1 EACH

Item 91. ANALYZER, SPECTRUM:

Hewlett-Packard Company, model 3560A, serial number 3109A00393. Frequency range rating: 0.040 to 31.250 MHz. Overall dimensions: 12"L x 8"W x 4"H.

 NSN: 6625-01-456-7392
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$7,500.00 1 EACH

Item 92. POWER SUPPLY, HIGH VOLTAGE:

Stanford Research, model PS310, serial number 01050. Overall dimensions: 16"L x 8"W x 3"H.

 FSC: 6130
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 5 lbs
 Acquisition Cost: \$1,000.00 1 EACH

Item 93. SYNTHESIZER, FREQUENCY:

SRITEQ, model VDS-3, serial number 9062915. Overall dimensions: 12"L x 8"W x 4"H.

 FSC: 5895
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 3 lbs
 Acquisition Cost: \$14,000.00 1 EACH

Item 94. GENERATOR, NOISE:

Noise-Com, model NC6112, serial number 3843. Overall dimensions: 15"L x 5"W x 9"H.

 FSC: 6625
 DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
 Estimated Weight: 5 lbs
 Acquisition Cost: \$6,400.00 1 EACH

Item 95. OSCILLOSCOPE:

Tektronix Inc., model 2335, serial number B016025. Screen size: 8 by 10 centimeters. Frequency rating: 48/ 448 Hz. Mounting

method: carrying case. Overall dimensions: 20.8"L x 12.4"W x 8.3"H.

NSN: 6625-01-156-4292
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 8 lbs
Acquisition Cost: \$5,000.00 1 EACH

Item 96. OSCILLOSCOPE:

Tektronix Inc., model 2335, serial number B011750. Screen size: 8 by 10 centimeters. Frequency rating: 48/ 448 Hz. Mounting method: carrying case. Overall dimensions: 20.8"L x 12.4"W x 8.3"H.

NSN: 6625-01-156-4292
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 8 lbs
Acquisition Cost: \$5,000.00 1 EACH

Item 97. OSCILLOSCOPE:

Tektronix Inc., model 2335, serial number B011211. Screen size: 8 by 10 centimeters. Frequency rating: 48/ 448 Hz. Mounting method: carrying case. Overall dimensions: 20.8"L x 12.4"W x 8.3"H.

NSN: 6625-01-156-4292
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 8 lbs
Acquisition Cost: \$5,000.00 1 EACH

Item 98. REFLECTOMETER, METALLIC TIME DOMAIN:

Tektronix Inc., model 1502, serial number B010201. Power source: external and self contained. Voltage in volts and current type: 117 AC and 12 DC. Frequency in Hz: 48 and 410. Maximum measured distance: 2,000 feet. Functional description: metallic cable testing; used to identify and locate cable faults. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-003-5561
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$5,141.24 1 EACH

Item 99. REFLECTOMETER, METALLIC TIME DOMAIN:

Tektronix Inc., model 1502, serial number R115181. Power source: external and self contained. Voltage in volts and current type: 117 AC and 12 DC. Frequency in Hz: 48 and 410. Maximum measured distance: 2,000 feet. Functional description: metallic cable testing; used to identify and locate cable faults. Overall dimensions: 16.5"L x 12.4"W x 5"H.

NSN: 6625-01-003-5561
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$5,141.24 1 EACH

Item 100. OSCILLOSCOPE:

Tektronix Inc., model SC503, serial number 201659, 10 MHz storage oscilloscope. Overall dimensions: 17"L x 9"W x 6"H.

NSN: 6625-01-122-3501
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 10 lbs
Acquisition Cost: \$8,500.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 101. POWER SUPPLY:

Tektronix Inc., model PS5010, serial number B033371. Output voltage rating 1st power: 24.5 DC volts minimum and 25.5 DC volts maximum; 2nd power: 0.0 DC volts minimum and 232.0 DC volts maximum; 3rd power: 0.0 DC volts minimum and 32.0 DC volts maximum. Output current rating 1st power: 20.0 DC amperes minimum and 23.0 DC amperes maximum; 2nd power: 2.5 DC amperes minimum and 20.7 DC amperes maximum; 3rd power: 0.5 DC amperes minimum and 20.7 DC amperes maximum. Overall dimensions: 19.2"L x 5"W x 5"H.

NSN: 6130-01-163-8515
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$3,050.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance
END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 102. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5384A, serial number 2430A00585. Display units indicator included. Overall dimensions: 11"L x 9"W x 4"H.

NSN: 6625-01-316-4249
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$1,500.00 1 EACH

Item 103. COUNTER, ELECTRONIC, DIGITAL READOUT:

Hewlett-Packard Company, model 5384A, serial number 2430A00569. Display units indicator included. Overall dimensions: 11"L x 9"W x 4"H.

NSN: 6625-01-316-4249
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$1,500.00 1 EACH

Item 104. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT:

Tektronix Inc., model 7B50, serial number B164091, time base. Overall dimensions: 13.7"L x 2.625"W x 5"H

NSN: 6625-00-327-6572
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$519.00 1 EACH

Item 105. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT:

Tektronix Inc., model 7B15, serial number 104387, time base delayed sweep. Overall dimensions: 14"L x 5"W x 3"H.

NSN: 6625-01-149-0613
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$500.00 1 EACH

Item 106. OSCILLOSCOPE:

Tektronix Inc., model SC504, serial number B025652. Beam quantity: 2. Sweep circuits included. Sweep circuit type: horizontal. Sweep frequency range: 30.0/80.0 MHz. Single trigger sweep duration: 200,000,000 nanoseconds maximum. Trigger sweep polarity switch included. Expanded sweep provided. Amplifier deflection sensitivity provision provided. Frequency response rating provided. X-Axis frequency response rating: 2.0 MHz nominal. Y-Axis frequency response rating: 1.0 Hz nominal. Calibrated screen scale included. Overall dimensions: 13"L x 5"W x 5"H.

NSN: 6625-01-078-1116
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 20 lbs
Acquisition Cost: \$4,434.00 1 EACH

Item 107. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT:

Tektronix Inc., model 7M13, serial number B072452, readout unit. Overall dimension: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-010-3580
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$500.00 1 EACH

THE FOLLOWING ARTICLES APPLY:
PART 05-I: Military Munitions List Items (MLI)
PART 05-J: Commerce Control List Items (CCLI)
PART 05-K: Munitions List and Commerce Control List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 108. OSCILLOSCOPE:

Tektronix Inc., model SC501, serial number B056956. Frequency rating: 5.0 MHz nominal. Screen size: 6 by 10 inches. Sweep circuits included. Sweep circuit type: horizontal and vertical. Trigger sweep voltage amplitude rating: 0.010 volts minimum and 10.0 volts maximum. Overall dimensions: 11"L x 5"W x 3"H.

NSN: 6625-01-047-4317
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$3,000.00 1 EACH

Item 109. OSCILLOSCOPE:

Tektronix Inc., model SC501, serial number B057342. Frequency rating: 5.0 MHz nominal. Screen size: 6 by 10 inches. Sweep circuits included. Sweep circuit type: horizontal and vertical. Trigger sweep voltage amplitude rating: 0.010 volts minimum and 10.0 volts maximum. Overall dimensions: 11"L x 5"W x 3"H.

NSN: 6625-01-047-4317
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$3,000.00 1 EACH

Item 110. PLUG-IN UNIT, ELECTRICAL ELECTRONIC TEST:

Tektronix Inc., model 5B10N, serial number B111486, amplifier. Overall dimensions: 12"L x 2.6"W x 5"H.

NSN: 6625-00-191-9535
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$1,085.75 1 EACH

Item 111. OSCILLOSCOPE:

Tektronix Inc., model 2225, serial number E215757. Current type: DC. Frequency rating: 48/440 Hz. Usage design: perform measurements associated with dual time base scopes. Voltage rating: 95/240 volts. Beam quantity: 2. Sweep circuits included. Sweep circuit type horizontal and vertical. Sweep frequency range: 5.0/50.0 MHz. Single trigger sweep duration: 7.0 nanoseconds nominal. X-Axis frequency response rating: 2 MHz nominal. Y-Axis frequency response rating: 40MHz minimum and 50 MHz maximum. Z-Axis frequency response rating: 5 MHz nominal. Viewing screen voltage rating: 12.6 kilovolts. Supplementary features: HF/LF reject trigger filters; X5, X10, X50 magnification; peak to peak auto triggering; two

channel, single time base. Overall dimensions: 17.3"L x 15"W x 5.4"H.

NSN: 6625-01-318-0368
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$1488.09 1 EACH

Item 112. OSCILLOSCOPE:

Tektronix Inc., model 7844, serial number B142570. Overall dimensions: 22"L x 12"W x 13"H.

NSN: 6625-01-015-6562
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 30 lbs
Acquisition Cost: \$14,945.00 1 EACH

Item 113. MULTIMETER:

Tektronix Inc., model DM5010, serial number B021827. 4½-digit LCD digital display. Electronic, solid state. Scale selection method: switch. Accuracy rating: .005-.05 % of reading single indicator all ranges. Interface compatibility: IEEE-488. Special features: auto ranging; diode test; comprehensive math functions; programmable. Measurement range: 0.0/200.0 millivolts, DC single indicator 1st range; 0.0/2.0 volts, DC single indicator 2nd range; 0.0/20.0 volts, DC single indicator 3rd range; 0.0/200.0 volts, DC single indicator 4th range; 0.0/1000.0 volts, DC single indicator 5th range; 0.0/200.0 millivolts, AC single indicator 6th range; 0.0/2.0 volts, AC single indicator 7th range; 0.0/20.0 volts, AC single indicator 8th range; 0.0/200.0 volts, AC single indicator 9th range; 0.0/700.0 volts, AC single indicator 10th range; 0.0/200.0 OHMS single indicator 11th range; 0.0/2.0 KILOHMS single indicator 12th range; 0.0/20.0 KILOHMS single indicator 13th range; 0.0/200.0 KILOHMS single indicator 14th range; 0.0/2.0 MEGOHMS single indicator 15th range. Overall dimensions: 11.35"L x 5.29"W x 4.96"H.

NSN: 6625-01-167-3653
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 4 lbs
Acquisition Cost: \$2,260.00 1 EACH

Item 114. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST EQUIPMENT:

Tektronix Inc., model 5A18N, serial number B133468, dual trace amplifier. Front panel controls; for use in Tektronix 5000 series mainframes. Overall dimension: 12"L x 2.6"W x 5"H.

NSN: 6625-01-191-9522
DEMIL CODE: B

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$1,024.00 1 EACH

THE FOLLOWING ARTICLES APPLY:

- PART 05-I: Military Munitions List Items (MLI)
- PART 05-J: Commerce Control List Items (CCLI)
- PART 05-K: Munitions List and Commerce Control

List Items (MLI/CCLI) Compliance

END USE CERTIFICATE APPLIES AND MUST BE COMPLETED AND SUBMITTED BY HIGH BIDDER PRIOR TO AWARD

Item 115. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model AA 5001, serial number B010584, analyzer. Automatic range selector. Fully programmable; fully automatic distortion set level, frequency tuning and nulling; high sensitivity, auto ranging, audio frequency voltmeter. Overall dimensions: 12"L x 5"W x 5"H.

NSN: 6625-01-260-9957
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$500.00 1 EACH

Item 116. AMPLIFIER, AUDIO-RADIO, FREQUENCY:

Hewlett-Packard Company, model 465A, serial number 530-01717. Frequency per channel: 1Hz/1MHz. Average power rating per channel: 10 watts input and output. Overall dimensions: 11"L x 5.125"W x 3.437"H.

NSN: 6625-00-928-2839
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 2 lbs
Acquisition Cost: \$737.00 1 EACH

Item 117. VOLTMETER:

Fluke Corporation, model 8920A, serial number 4805007. Indicator type: 5-digit digital display and dial with pointer. Rack installation design. True RMS AC with readout in volts or decibels; AC or AC + DC measurement; auto ranging; selectable dBm reference impedance; analog display for peak/null adjustments; rear panel linear analog output; relative dB measurements; full frequency range 2 Hz to 20 MHz. Overall dimensions: 12.9"L x 8"W x 4.3"H.

NSN: 6625-01-081-2638
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 6 lbs
Acquisition Cost: \$3,471.10 1 EACH

Item 118. VOLTMETER:

Hewlett-Packard Company, model 3400A, serial number 2415A34535, true root-meansquare voltmeter. Frequency rating: 50/60Hz. Measurement range: 0.0/60.0 dB. Electrical overload protection and zero adjuster features provided. Overall dimensions: 11"L x 5.125"W x 6.5"H.

NSN: 6625-00-727-4706
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 5 lbs
Acquisition Cost: \$1,300.00 1 EACH

Item 119. TEST SET SUBASSEMBLY, ELECTRICAL AND ELECTRONIC TEST EQUIPMENT:

Hewlett-Packard Company, model 85662A, serial number 1924A00792, intermediate frequency subassembly. End item identification: Spectrum analyzer model 8566A. Overall dimensions: 22"L x 18"W x 5"H.

NSN: 6625-01-150-2146
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code F
Estimated Weight: 50 lbs
Acquisition Cost: \$26,797.65 1 EACH

Item 120. PLUG-IN UNIT, ELECTRICAL-ELECTRONIC TEST:

Tektronix Inc., model 7A24, serial number B071538, dual trace amplifier. Overall dimensions: 14.5"L x 2.8"W x 5"H.

NSN: 6625-01-013-9322
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 2 lbs
Acquisition Cost: \$2,380.00 1 EACH

Items 121 - 124 are located at Fort Meade, MD. No inspection allowed. Items will be brought to the Glen Burnie, MD store during the removal timeframe.

Item 121. PALLET JACK:

4k, Crown Controls Corporation, model 40GPW-4-14, serial number 7A102808041. Hour meter: 1174.5 hours. 24-volt electric, with self contained charger in battery compartment. Plug in to any 110-volt outlet. Fork length: 27" x 48". Three solid rubber tires.

FSC: 3930
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 831 lbs
Acquisition Cost: \$3,500.00 1 EACH

Item 122. PALLET JACK:

4k, Crown Controls Corporation, model 40GPW-4-14, serial number 7A125704. Hour meter: 499.5 hours. 24-volt electric, with self contained charger in battery compartment. Plug in to any 110-volt outlet. Fork length: 27" x 48". Three solid rubber tires. Includes battery meter gauge. Government registration number: 85280C.

FSC: 3930
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 831 lbs
Acquisition Cost: \$3,500.00 1 EACH

Item 123. TRUCK, LIFT, FORK:

2k, Yale, model ERP030ABN36SE083, serial number N471533. Hour meter: 712.2 hours. 36-volt electric. Mast height: 190" @ 2000 pounds. Fork length: 48". Four solid rubber tires. Includes battery meter gauge, four cage lights, and one yellow strobe light. Government registration number: 48165B.

FSC: 3930
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 7,540 lbs
Acquisition Cost: \$17,000.00 1 EACH

Item 124. TRUCK, LIFT, FORK:

15k, Clark, model C500YS80/HV, serial number 7781. Hour meter: 2252.2 hours. Gasoline engine. Fork length: 48". Four solid rubber tires. Includes front exterior lights and cabin fan. Parts missing including cab doors. Government registration number: 280499/38414A.

FSC: 3930
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Loose-Used-Condition Code A
Estimated Weight: 18,000 lbs
Acquisition Cost: \$15,000.00 1 EACH

Items 125 - 129 are located at 6730 Bay Meadow Drive, Glen Burnie, MD

Item 125. VAN, PASSENGER:

1994, Dodge, AB3X53, ram van. VIN: 2B5WB35Z1RK549921. Mileage: 109,913. 8 cylinder, 51.2 hp, 5.9L magnum V8 gasoline engine. 4-speed automatic transmission, air conditioning. 15 passenger, 350 maxi wagon. Fair tires. Parts damaged including fuel pump, body damage, right center door, bent rear bumper, and paint.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
Estimated Weight: 8,510 lbs
Acquisition Cost: \$25,001.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 126. VAN, PASSENGER:

1992, Chrysler Corporation, ASKL52, caravan, minivan. VIN: 2B4GH2537NR713400. Mileage: 57,981. 6 cylinder, 30.9 hp, 3.0L V6 gasoline engine. Automatic transmission, air conditioning. 7 passenger. Fair tires. Parts damaged including exhaust system.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
Estimated Weight: 4,600 lbs
Acquisition Cost: \$17,000.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 127. SPORT UTILITY VEHICLE:

1988, Chevrolet, CV20906, suburban, 4 door, 4x4. VIN: 1GNGV26KXJF146609. Mileage: 86,104. 8 cylinder, 51.2 hp, (J245) 195 gasoline engine. Automatic transmission, air conditioning. 6 passenger. Fair tires. Parts damaged including worn steering parts, bent rear bumper and left quarter panel, paint, and rust.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
Estimated Weight: 8,600 lbs
Acquisition Cost: \$16,200.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 128. VAN, PASSENGER:

1994, Chevrolet, CM10906, minivan. VIN: 1GNDM15Z4RB226554. Mileage: 69,465. 6 cylinder, 38.4 hp, 4.3L V6 gasoline engine. Automatic transmission, air conditioning. 5 passenger. Fair tires. Parts damaged including inoperative air conditioning, exhaust system, and EGR valve.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
Estimated Weight: 5,700 lbs
Acquisition Cost: \$12,645.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Item 129. VAN, PASSENGER:

1994, Dodge, AB3X52, ram 350 wagon. VIN: 2B5WB35Z2RK549894. Mileage: 64,734. 8 cylinder, 51.2 hp, 5.9L magnum V8 gasoline engine. 4-speed automatic

transmission, air conditioning. 5 passenger. Fair tires. Parts damaged including body rust and paint.

FSC: 2310
DEMIL CODE: A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Condition Code: F
Estimated Weight: 8,510 lbs
Acquisition Cost: \$23,337.00 1 EACH

PROSPECTIVE BIDDER PLEASE NOTE: The information contained herein is the only information available to prepare the SF 97, The United States Government Certificate to Obtain Title to a Vehicle. You or your carrier are advised to review all applicable data prior to removal. Should a deficiency or incorrect data be found, notify the Sales Contracting Officer (SCO) prior to removal in order for verification/correction to be completed. No information will be changed or supplemented unless the SCO is notified prior to removal. The SF 97 will be mailed from Battle Creek, MI, once item has been removed, and any/all charges are paid in full.

Items 130 - 132 are located at Fort Meade, MD. No inspection allowed. Items will be brought to the Glen Burnie, MD store during the removal timeframe.

Item 130. TOWELS, PAPER:

Georgia Pacific, Chromatic, part number 8540LN3319101. 12 rolls per case. 500 towels per roll. Estimated quantity: 483 cases. FSC: 8540
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Inside-Packed in Cases-Unused-Condition Code A
Estimated Weight: 12,075 lbs
Acquisition Cost: \$15,769.95 1 LOT

Item 131. TOWELS, PAPER:

Craft, single fold, 12 rolls per case, 6000 towels per roll. Estimated quantity: 80 cases. NSN: 8540-00-262-7178
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Inside-Packed in Cases-Unused-Condition Code A
Estimated Weight: 2,000 lbs
Acquisition Cost: \$1,760.00 1 LOT

Item 132. MOP HEAD, WET:

National Industries for the Blind, 16-ounce, 6-inch width, untapped taped tail bands. 8-ply yarn, 88 yarns per pound. Length of yarns: 31 inches. 36 mop heads per case. Estimated quantity: 36 cases. NSN: 7920-00-171-1148
DEMIL CODE A

CONTACT: Mike Drexel PHONE: (443) 479-2817

Inside-Packed in Cases-Unused-Condition Code A
Estimated Weight: 1,296 lbs
Acquisition Cost: \$3,240.00 1 LOT

Additional General Information and Instructions (DRMS Form 82-3 May 89 EF)

See DRMS pamphlet, *Sale by Reference, March 1994*, for General Information and Instructions 1 thru 17.

- 18. Submission of Bids.** Bids must be in the possession of the Sales Contracting Officer by the hour (exact time) specified for the bid opening. Bids must be submitted on the forms provided in this Invitation. Forms must be typewritten or prepared in ink or indelible pencil, and signed by the person submitting the bid. Envelopes containing the bids must be sealed and identified by the name and address of the bidder, the number of the sale, and the date and hour of the bid opening. (See following format.)

<p>NAME _____</p> <p>ADDRESS _____</p> <p>CITY ST ZIP _____</p> <p style="text-align: center;">Defense Reutilization & Marketing Service Bid Room, National Sales Office 74 Washington Ave N. BATTLE CREEK, MI 49017-3092</p> <p>SALE NUMBER: 38-4628 BID OPENING DATE: June 9, 2004 @ 9:00 A.M. (EST/EDST) BIDDER IDENTIFICATION NUMBER: 300-FILL-IN-YOUR-NUMBER</p>	<div style="border: 1px solid black; padding: 5px; width: 80px; margin: 0 auto;"> POSTAGE REQUIRED </div>
--	--

19. Bids may be submitted via:

- A. U.S. Mail-Users of the U.S. Postal Service (including USPS Express Mail)
- B. Express Mail/Hand Carried Bids-Users of Express Mail Services and hand carried bids.
- C. Electronic Method-Instructions for on-line bidding at <http://www.drms.dla.mil>

Bids submitted by telegram, facsimile, electronic mail (Internet) or mailgram must be specific as to sender and content, to include name and title of sender, complete firm name (if other than an individual), complete address, telephone number, invitation for bid number, item number on which the bid is submitted, unit price and total price and amount.

20. Telephonic bids will not be accepted on this sale.

21. All bids must be addressed and mailed or delivered to:

Defense Reutilization and Marketing Service
 Bid Room, National Sales Office
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number (269) 961-7568

22. All Payments must be addressed and mailed or delivered to:

Defense Reutilization and Marketing Service
 ATTN: Cashier
 74 Washington Ave N
 Battle Creek, MI 49017-3092
 Facsimile Number (269) 961-7314

- 23. Personal Checks:** Personal checks will be accepted for payments of debts, interest, liquidated damages, overages and storage charges, for amounts of \$25.00 or less. Make checks payable to the U.S. Treasury.

- 24. Facsimile Notification of Award:** The bidder may request facsimile notification or award by checking the appropriated block on the Item Bid Page. When requested by the bidder, facsimile notification will be sent simultaneously with the mailing of the contract and will include the contract number and item(s) awarded.

- 25. Disposal Notification to All Purchasers and Sub-Purchasers:** The use, disposition, export and reexport of this property is subject to all applicable U.S. laws and regulations, including the Arms Export Control Act (22 CFR 2751 et seq.); the Export Administration Act of 1979 (560 U.S.C. App. 2401 et seq.); International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.); and the Espionage Act (37 U.S.C. 791 et seq.) which among other things, prohibits:
- a. The making of false statements and concealment of any material information regarding the use or disposition, export or reexport of the property, and
 - b. Any use or disposition, export or reexport of the property that is not authorized in accordance with the provisions of this agreement.
- Before any export or reexport of this property is attempted, contact the Office of Defense Trade Controls, Department of State and the Bureau of Export Administration, Department of Commerce for export licensing requirements.

ADDITIONAL GENERAL INFORMATION AND INSTRUCTIONS - SEALED BID – CONTINUED

26. **EXCHANGE SALE:** This property is being offered in accordance with the exchange/sale provisions of Section 201(c) of the Federal Property and Administrative Services Act of 1949 Stat.384 as amended (40 U.S.C.481c).
27. **RELEASE OF MATERIALS:** If purchaser wishes to release material to a carrier or agent, it is requested a written release (Letter of Authorization) be furnished prior to release of material.
28. **CALENDER SENSITIVE (YEAR 2000) EQUIPMENT:** The year 2000 (Y2K) technology problem, also known as the millennium bug, is the inability of some computers and computerized systems/equipment to correctly recognize dates after 1999. Computers and other calendar-sensitive property turned in by the Department of Defense and other authorized generators are not immune to this problem. In most cases, it is impossible to identify what will be affected and what will not be without extensive testing. Bidders are notified that the condition of the property, as expressed in item descriptive data, is based on visual inspection that is not adequate to determine year 2000 compatibility. If you have an interest in any property that may be affected by the Y2K technology problem, you should contact the manufacturer or check the manufacturer's web site to see if any information is available regarding the property's year 2000 compatibility. You may visit the General Service Administration's Year 2000 web site at the following internet address: [http:// www.itpolicy.gsa.gov/mks/yr2000/y2home.htm](http://www.itpolicy.gsa.gov/mks/yr2000/y2home.htm) or you can also obtain information from the Federal Year 2000 Information Center at 1-888-872-4925.

NOTICE:

Bids on this sale will be processed by automatic data processing equipment under a system, which is not capable of evaluating combination bids. Accordingly, qualified, tie-in, all-or-none or any other combination or floating bids will be rejected. BIDDERS MUST submit a distinct individual price for each item bid upon in order for their bids to be considered for award

NOTICE:

High bids on Demil B or Q items, where an End Use Certificate is required, are taking 60 to 120 days (or longer) to clear Trade Security Control, part of the Department of Commerce. To ensure you don't lose the right to the property, during the clearance process, please enter "60" or leave blank the portion of Standard Form 114, Item Bid and Award Page, which states, "In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within ____ calendar days...to pay for and remove the property." **We are unable to extend Bid Acceptance Periods of less than 60 days.** Failure to leave this line blank or specifying less than 60 days may cause you to lose the right to the property.

Supply Condition Codes

Code	Title	Definition
A	Serviceable (issuable without qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction. Includes material with more than 6 months' shelf life remaining.
B	Serviceable (issuable with qualification)	New, used, repaired, or reconditioned material which is serviceable and issuable for its intended purpose but which is restricted from issue to specific units activities, or geographical areas by reason of its limited usefulness or short service life expectancy. Includes material with 3 through 6 months' shelf life remaining.
C	Serviceable (priority issue)	Items which are serviceable and issuable to selected customers, but which must be issued before Condition A and B material to avoid loss or as a usable asset. Includes material with less than 3 months shelf life remaining.
D	Serviceable (test/ modification)	Serviceable material which requires test, alteration, modification, con version, or disassembly. (This does not include items that must be inspected or tested immediately prior to issue.)
E	Unserviceable (limited restoration)	Material that involves only limited expense or effort to restore to serviceable condition and which is accomplished in the storage activity where the stock is located.
F	Unserviceable (reparable)	Economically reparable material which requires repair, overhaul, or reconditioning (includes reparable items that are radioactively contaminated).
H	Unserviceable	Material that has been determined to be unserviceable and does not meet repair criteria, (includes condemned items which are radioactively contaminated).

Demilitarization Codes/Requirements

A DEMIL customer service helpline at 1-888-352-9333 is available 8:00-5:00 EST/EDST to address any demilitarization problems or concerns.

Code	Explanation
A	Non-MLI/Non-CCLI. Demilitarization not required.
B	MLI (NON-SME). Demilitarization not required. Trade Security Controls (TSC) required at disposition.
G	MLI (SME). Demilitarization required - AEDA. Demilitarization, and if required, declassification and/or removal of sensitive markings or information will be accomplished prior to physical transfer to a DRMO. This code will be used for all AEDA items, including those that also require declassification and/or removal of sensitive markings or information.
Q	CCLI. Commerce Control List Item – Demilitarization not required. CCLI are dual-use (military, commercial, and other strategic uses) items under the jurisdiction of the Bureau of Export Administration, U.S. Department of Commerce, through the Export Administration Regulations. The types of items under the Commerce Control List (CCL) are commodities (i.e., equipment, materials, electronics, propulsion systems, etc.), software, and technology. The CCL does not include those items exclusively controlled by another department or agency of the U.S. Government.

Conditions of Sale (DRMS Form 83 Jan 98 Computer Generated)

The General Information and Instructions and General and Special Conditions of Sale are hereby incorporated by reference and become a part of this Invitation for Bids and any contract resulting from acceptance of bid submitted pursuant to this Invitation for Bids as fully as though such Instructions, Term and Conditions had been specifically set forth herein. The Instructions, Term and Conditions are contained in Defense Reutilization and Marketing Service pamphlet entitled *Sale by Reference - Instructions, Terms and Conditions Applicable to Department of Defense Personal Property Offered for sale by Defense Reutilization and Marketing Service dated March 1994*, and may be obtained from the DRMS Web site, www.dla.mil/drms or upon request from the DRMS National Sales Office, 74 Washington Ave. N, Battle Creek, MI 49017-3092. Copies are available through any activity of the Defense Reutilization and Marketing Service.

The specific Instructions, Terms and Conditions applicable to this sale are as follows:

DRMS pamphlet *Sale by Reference, March 1994*:

- Part 1: **General Information and Instructions** (DRMS Form 81, Oct 93): Complete except: Condition 6 should read: Any sale or use tax imposed by any state, country or political subdivision will be paid by the Purchaser.
- Part 2: **General Sale Terms and Conditions** (Standard Form 114C, Jun 86 ed., and DRMS Form 84, Oct 93). All Conditions.
- Part 3: **Special Sealed Bid Conditions** (Standard Form 114C-1, Jan 70 ed., and DRMS Form 99, Oct 93). All Conditions except E.
- Part 5: **Additional Special Circumstance Conditions - Miscellaneous** (DRMS Form 86, Oct 93). As specified in item description.
- Part 6: **Additional Special Circumstance Conditions- Demilitarization and Mutilation** (DRMS Form 95 Oct 93). As specified in item description.
- Part 7: **Additional Special Circumstance Conditions - Hazardous and Dangerous Property** (DRMS Form 98, Oct 93). As specified in item description.

IN ADDITION TO THE ABOVE, THE FOLLOWING IS ALSO INCORPORATED AS PART OF THIS SALE:

Articles

ARTICLE B01: BID DEPOSITS AND PAYMENTS

(a) A bid deposit is not required on this sale. Full payment is required prior to removal in accordance with DRMS Pamphlet, Sale by Reference, March 1994, Part 2, Condition 6.

(b) All bid deposits and payments, including those for storage charges, liquidated damages, and interest, must be in the form of cashier's check, certified check, traveler's check, bank draft, money order, cash or credit card (MasterCard, Visa, Discover Card, American Express only). Make checks payable to U.S. Treasury. When a credit card is used as payment, the credit card number, the name as printed on the credit card, and the expiration date must be provided. If more than one credit card is used; the bidder must identify the exact monetary amount to be applied against exact credit card. Bidders whose payment is accompanied by a letter of credit, or who have on file an approved bid bond (SF150 or SF 151) may make payments by uncertified personal or company checks, but only up to an amount equal to the penal sum of their bond or the amount of their letter of credit.

(c) If, for any reason, a bidder's uncertified check is not honored for payment by the payee's bank upon initial presentment for payment, the Government may, after notifying the bidder, require the bidder to make all future payments by cash, cashier's check, certified check, traveler's check, bank draft or money order.

(d) Successful bidders that wish to make payment via credit card for property awarded via credit card can do so by providing language substantially as follows:

I (WE) AUTHORIZED THE SALES CONTRACTING OFFICER TO OBTAIN PAYMENT BY CREDIT CARD FOR ANY ITEMS I AM (WE ARE) AWARDED ON THIS SALE.

Any necessary adjustments in accordance with condition of sale entitled "Adjustment or Variation in Quantity or Weight" will be applied to the card as a debit or credit.

(e) Personal checks will be accepted for payment of debt interest, liquidated damages, overages and storage charges for amounts of \$25.00 or less.

(f) All payments should be addressed and mailed or delivered to:
 Defense Reutilization and Marketing Service
 Attn.: Cashier
 74 North Washington Ave.
 Battle Creek, MI 49017-3092

Credit card payments may be faxed to: (269) 961-7314

ARTICLE B07: CHANGE IN CONTRACT CLAUSES:

The terminology "Strategic List" and "SLI" appearing in Article J: STRATEGIC LIST ITEMS (SLI) and Article K: MUNITIONS AND STRATEGIC LIST ITEM (mli/sli) COMPLIANCE found at Part 5 of the sale by reference pamphlet dated March 1994 is deleted and "Commerce Control List" and "CCLI", respectively, are substituted therefore. All other language remains unchanged and in full force and effect.

ARTICLE B27: HOLD HARMLESS CONDITION

The purchaser shall hold and save the Government and its personnel free and harmless from liability of any nature or kind occasioned by operations of the purchaser on Government premises.

ARTICLE 61: DENIED AREAS

The bidder understands and agrees that the ultimate destination of any property awarded from this sale will not be to Cuba, Iran, Iraq, Libya, Unita (Angola), and Bosnian Serb-Controlled area of the Republic of Bosnia-Herzegovina. The following countries are able to purchase demil "A" (non MLI/SLI) coded property only, but they need to submit a completed End-Use Certificate (EUC) to the sales contracting officer when submitting a bid for property. Afghanistan, Albania, Bulgaria, Burma, Cambodia, Peoples Republic of China, Estonia, Ethiopia, Haiti, Laos, Latvia, Lithuania, Madagascar, Mongolia, Mozambique, Peru, Romania, Somalia, Sudan, Syria, Vietnam, All former states of Yugoslavia, South Africa, Slovenia, Bosnia-Herzegovina, Montenegro, Serbia and other Republics and All former states of the Soviet Union.

ARTICLE KC: ILLICIT ACTS

During the performance of the contract awarded, the purchaser agrees to assume full responsibility for any illicit act committed by his assigned agents and/or employees while such personnel are within the confines of the U.S. military installation or any area involved in the performance of such contract. For the purpose of this condition of sale, illicit acts include, but are not limited to, commission of fraud, theft, bribery, receiving stolen property, and any other alleged offense

not specifically indicated. Therefore, the purchaser agrees to ensure complete supervision over such personnel who are engaged in the performance of any contract awarded. Violation of above requirement by the purchaser and/or agents may result in temporary suspension or permanent debarment of the contractor.

ARTICLE SA: STORAGE CHARGES/LATE REMOVAL CHARGES

Notwithstanding Part 2, Condition 28, if the Purchaser fails to remove the property within the time limits specified for removal, or within any extension of time which may have been granted by the Sales Contracting Officer, pursuant to Condition No. 8, General Sales Terms and conditions (Standard Form 114C), charges at the following rate(s) per day, per item, excluding Saturdays, Sundays and Federal Holidays.

<u>ITEM NUMBERS</u>	<u>RATE PER DAY</u>
1-120	\$10.00
121-132	\$50.00

Inspection Dates and Times

June 1- 3, 2004
(Tuesday through Thursday ONLY!)
Hours are: 10:00 A.M.-2:00 P.M. (EDST)

Inspection Notes:

Items 1 – 120, 125 - 129 Tuesday through Thursday only. From BWI Airport, Baltimore: Take I-195 North (Baltimore Washington Parkway). Bear right onto 695 East (Baltimore Beltway). Take exit for 2 South (Route 10). Take first exit (Ordnance Road East). Go approximately 100 yards (2nd light) and turn right into "Bay Meadow Business Park", onto Bay Meadow Drive. Follow to the 4th building on the right under the blue tower. Address on building is 6730 Bay Meadow Drive.

Items 121 –124, 130 - 132 No inspections allowed. Items will be brought to the above Glen Burnie, MD address during the removal timeframe.

Loading Table

Time for Removal

(See DRMS pamphlet, "Sale by Reference, March 1994, Part Z, Condition no. 8, Standard Form 114C)

The removal period is established on the basis that a written notice of award will be made by June 14, 2004.

Should the written notice of award on any item(s) not be made by the above date, an appropriate allowance will be made in the date of removal for such items.

Property must be removed: (Items 1 thru 132)-no later than June 24, 2004.

LOADING LEGEND

I GOVERNMENT WILL LOAD

- (a) Rail
- (b) Truck or Trailer

II GOVERNMENT WILL LOAD-OPEN TOP CONVEYANCE ONLY

- (a) Rail
- (b) Truck or Trailer

III PURCHASER MUST LOAD (NO GOVERNMENT ASSISTANCE)

- (a) Rail facilities available adjacent to property
- (b) Rail facilities available on the installation but remote from property
- (c) No rail facilities available

IV OTHER

ITEM	LOADING LEGEND
001-132	IIIc

Loading Notes

ITEM (S) 1 – 132 Removals must be made: June 22 - 24, 2004, between 10:00 A.M. to 2:00 P.M. (EDST).

Follow directions set forth in Inspection Notes. Show drivers license, current registration, and proof of insurance along with a paid copy of DRMS Form 1427, Notice of Award Statement and Release Document to obtain pass. A DRMS Form 1646, Letter of Authorization, is also required for anyone other than Purchaser, for property release. **A 24-hour notice is required prior to removal of property.** Point of contact is Mike Drexel. Telephone (443) 479-2817.

Common Carriers and Packing Concerns: A list of Common Carriers and Packing Concerns servicing this geographic area is available upon request from the Sales Contracting Officer (SCO). This list may not include every provider of service. The Government assumes no responsibility or liability for services furnished by any firms listed, nor does the Government endorse the use of or business practices of any listed business.

Sale of Government Property Item Bid and Award Page

Address your bid to: Defense Reutilization and Marketing Service Bid Room, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Sale No. 38-4628	Bids will be opened at: Defense Reutilization and Marketing Service DRMS-BU, National Sales Office 74 Washington Ave., North Battle Creek, MI 49017-3092 Date: June 9, 2004 at 9:00 A.M. EST/EDST
--	--

Bids will be publicly opened on the date and time specified, subject to:

1. TERMS AND CONDITIONS
 - General Sale Terms and Conditions, SF 114C, Jun. 86 ed.; and
Special Sealed Bid Conditions, SF 114C-1, Jan.1970 ed
 - Terms/conditions incorporated herein by reference;
 - Special terms/conditions incorporated into the Invitation for Bid;
2. PAYMENT REQUIREMENTS
 - Bidder is required to pay for any or all of the items listed on the Item Bid Page(s) at the price bid for each item, in accordance with Article B01.

BID (This section to be completed by the Bidder)

In compliance with the above, the undersigned offers and agrees, if this Bid is accepted within _____ calendar days (60 calendar days if no period is specified by the Government or the Bidder, but not less than 10 calendar days) to pay for and remove the property. The total amount is \$_____.

THE BIDDER (Check appropriate boxes)

1. has, has not inspected the property on which the bid is submitted.
2. is, is not, an individual or a small business concern. (See CFR, Title 13, Chapter 1, Part 121, Sec. 121.3-9 for the definition of small business.)

Complete the following only if the total amount of the bid(s) exceeds \$25,000.

- 3a. has, has not, employed or retained any company or person (other than a full-time, bona fide employee working solely for the Bidder) to solicit or secure this contract, and
- 3b. has, has not, paid or agreed to pay any company or person (other than a full-time, bona fide employee working solely for the Bidder) any fee, commission, percentage or brokerage fee, contingent upon or resulting from the award of this contract; and agrees to furnish information relating to (a) and (b) above as requested by the Contracting officer, (For interpretation of the representation, including the term "bona fide employee", see CFR, TITLE 41, SUBPART 101-45.3.)

Name and address of bidder (Street, City, State, and Zip Code) (Type or print) – (MUST be same on envelope) Telephone number: Bidder identification no. (If applicable) 300	Signature of person authorized to sign this bid	
	Signers name and title (type or print)	Date Of Bid

Acceptance by the Government (This section for Government use only)

Accepted as to item(s) numbered (For acceptance information see DRMS Form 1427attached)	United States of America By: (Contracting Officer)	Date of Acceptance
Total Amount	Contract Number(s)	Name and Title of Contracting Officer

Credit Card Information

Please note

Effective immediately, if you use a credit card for payment and, at the time of processing, it is declined by the bank, you will be advised, in writing, that your credit card will no longer be accepted for a period of one (1) year. Fraudulent use of credit cards will result in your being recommended for debarment from the DRMS sales program.

If a credit card is to be used as a payment, complete the following information and return this sheet with your bid, or AFTER AWARD, facsimile this completed page to (269) 961-7314. Be sure to include your contract number.

(Please type or legibly print information)

First Name: _____ Last Name: _____

Company Name: _____

Card Holder Name: _____

Address: _____

City: _____ State: _____ Zip Code: _____ - _____

Master Card () Visa () Discover () American Express ()

Credit Card Number: _____

Expiration date: Month _____ Year _____

I (we) authorize the sales contracting officer to obtain payment by credit card for any items I am (we are) awarded on this sale.

Authorized Signature

Date

<p style="text-align: center;">LETTER OF AUTHORIZATION <i>(Prescribing authority: DRMS-H 4160.3. Volume 1)</i></p>	<p>TO: _____</p>
<p>I, _____ the undersigned, hereby authorize _____ to <small>(PRINT NAME)</small> <small>(PRINT NAME)</small> act as my agent on Contract _____ with respect to the items listed below and for the purpose indicated by check mark in the boxes provided under "Extent of Authority".</p>	
<p>EXTENT OF AUTHORITY</p>	<p>LIST ITEM (S)</p>
<p><input type="checkbox"/> Make payment.</p> <p><input type="checkbox"/> Make payment and remove property.</p> <p><input type="checkbox"/> Remove Property.</p> <p><input type="checkbox"/> Perform work required under the contract</p> <p><input type="checkbox"/> Accept and sign for deliveries above or below the quantity variations allowed under the contract.</p> <p><input type="checkbox"/> Sign certifications required prior to Government's permitting release of property.</p> <p><input type="checkbox"/> Other (specify): _____</p>	
<p>SIGNATURE OF PURCHASER</p>	<p>DATE</p>

DRMS FROM 1646, APR 2002 (EF) (Previous Edition May be used Until Exhausted)

BEFORE YOU BEGIN, READ THE FILLER HELP PROVIDED UNDER FILE/FORM INFO. THEN PUT YOUR CURSOR IN THE RED BOX AND CLICK ON F1 FOR SOME ADDITIONAL INFO.



IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO.

END-USE CERTIFICATE (STATEMENT REGARDING DISPOSITION AND USE OF PROPERTY) (Please read Privacy Act Statement on reverse before completing this form. If additional space is required, use separate sheets and identify by Block Number.)		FOR AGENCY USE ONLY				Form Approved OMB No. 0704-0382 Expires Dec 31, 2004	
		TSC CLD	PRIMARY PURCHASER	SUB-PURCHASER			
		YES		1	2	3	4
		NO					
<p>The public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to DoD, Washington Headquarters Services, DIOR (0704-0382), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to either of these addresses. RETURN COMPLETED FORM TO THE OFFICE STATED ON THE IFB, SOLICITATION OR PROPOSAL.</p> <p>INSTRUCTIONS. This form must be fully completed by all applicants for Munitions List Items (MLI)/Commerce Control List Items (CCLI) prior to acceptance by the U.S. Government and constitutes an integral part of this bid. The information given must be true and correct and will become a part of this contract. Every block MUST have an entry. If necessary, insert "NONE," "SAME AS BLOCK X," or "NOT APPLICABLE" (do not use "N/A"). If the applicant is acting solely as an Agent, a DLA Form 1822 must be signed by the Principal. The term Approving Official is used to indicate the person authorized to act for the U.S. Government (Sales Contracting Officer, Plant Clearance Officer, or other designated individual). FOR ALL SALES OF PROPERTY APPROVED BY PLANT CLEARANCE OFFICERS, UPON THE REMOVAL OF THE PROPERTY, ALL DOCUMENTATION REQUIRED BY THIS FORM WILL BE FORWARDED TO THE IDENTIFIED TRADE SECURITY CONTROL OFFICE.</p> <p>The following applies to all property subject to sale using this form: the use, disposition, export, or re-export of this property, is subject to the publications, penalties, and other provisions of the economic programs administered by the Office of Foreign Assets Control, U.S. Treasury Department, 31 CFR Chapter V.</p>							
THIS STATEMENT IS SUBMITTED IN CONNECTION WITH: <input type="checkbox"/> SALE <input type="checkbox"/> EXCHANGE <input type="checkbox"/> OTHER:				LINE ITEM NUMBER/COMMODITY			
NAME (Last, First, Middle)				SSN/ALIEN CARD NO./COUNTRY ID			
DATE OF BIRTH (MM/DD/YY)		PLACE OF BIRTH (City or County, State, Country)			TELEPHONE NUMBER (Include Area Code)		
MAILING ADDRESS				PHYSICAL ADDRESS			
SECTION I. GENERAL INFORMATION							
APPLICABILITY. This statement applies to the property for which we have submitted our bid/offer pursuant to the above identified invitation.							
1. TYPE OF FIRM <input type="checkbox"/> SOLE PROPRIETORSHIP <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> CORPORATION <input type="checkbox"/> OTHER (Specify):							
2. NATURE OF END-USER'S BUSINESS		3. NATURE OF PRINCIPAL'S BUSINESS		4. FIRM'S ID/FEDERAL TAX NUMBER			
5. BUSINESS/CORPORATION HEADQUARTERS				6. BRANCH OFFICE			
A. NAME				A. NAME			
B. ADDRESS (Physical location)				B. ADDRESS (Physical location)			
7. ALL CORPORATE OFFICERS, PARTNERS AND/OR AGENTS ARE TO PROVIDE, ON SEPARATE SHEETS OF PAPER, THEIR NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH. FAILURE TO PROVIDE THIS INFORMATION COULD RESULT IN SIGNIFICANT DELAY OR DENIAL OF THE AWARD.							
SECTION II. END USE/USER INFORMATION. If this is a negotiated exchange, identify the property being exchanged:							
1. PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING: Enter and "X" in the appropriate item(s) below. In the case of resale, 1 item 1.F. or 1.G. MUST be marked.							
<input type="checkbox"/> A. Retention for the following specific use (see note):		<input type="checkbox"/> B. Resold in the form received for the following use (see note):		<input type="checkbox"/> C. The property will not be sold or otherwise disposed of for use outside of the United States or to non-U.S. Citizens/Nationals in the United States.			
<input type="checkbox"/> D. The property may be re-exported in the form received to the following country/countries:		<input type="checkbox"/> E. Resale after following alteration (description of final production): in (Country/Countries): and distribution in (Country/Countries):		<input type="checkbox"/> F. If sold, name, address, and telephone number of sub-purchaser(s):			
<input type="checkbox"/> G. The customers are unknown at this time. If required by the contract/transfer document, I will obtain prior written approval for the resale of any of the property covered by this contract.							
ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property which may be of value in considering the proposal:							
NOTE: Example of specific uses: AIRCRAFT. The bidder/recipient certifies that the aircraft will be used: as a flyable aircraft; as a non flyable aircraft to be used only for parts, display, or ground instruction, etc.; for resale as a flyable aircraft.							

SECTION III. UNDERSTANDING AND NOTIFICATIONS

1. The use, disposition, export and re-export of this property is subject to all applicable U.S. Laws and Regulations, including but not limited to the Arms Export Control Act (22 USC 2751 et seq.); Export Administration Act of 1979 (50 USC App. 2401 et seq.) as continued under Executive Order 12924; International Traffic in Arms Regulations (22 CFR 120 et seq.); Export Administration Regulations (15 CFR 730 et seq.); Foreign Assets Control Regulations (31 CFR 500 et seq.) and the Espionage Act (18 USC 793 et seq.); which, among other things, prohibit:

A. The making of false statements and concealment of any material information regarding the use or disposition, export or re-export of the property and

B. Any use, disposition, export or re-export of the property not permitted by applicable statute and regulation.

2. The submission of false or misleading information and/or concealment of any material facts regarding the use, disposition or export of this property may constitute a violation of provisions of 18 USC 793/1001, 22 USC 2778/2779, 50 USC App. 2410, and 50 USC App. 1-44. Sanctions for violations will be in conformity with U.S. laws and regulations (including Federal Acquisition Regulations and DoDD 2030.8) and may include the denial of U.S. export privileges and of any participation in future U.S. Government contracts.

3. Transfers of MLI and CCLI property by purchasers/bidders are subject to the requirements of the appropriate licensing department or agency. In many cases, an export license or other authorization may be required. With respect to MLI, registration of the purchaser's/bidder's business with the Department of the State may also be required. It is the responsibility of the purchaser/bidder to determine what the applicable requirements may be and to obtain all necessary authorizations or

4. When MLI/CCLI property is transferred, the information in this form regarding the above laws and regulations must be passed to the subsequent purchaser/receiver. Records of Resale in buyer's possession should be available for Trade Security Controls Office review, if requested.

5. The Invitation For Bid and Sale/Exchange Contract number can be referenced when submitting an application for an export license or other authorization to the Department of State for MLI or Department of Commerce for CCLI.

6. The Government expects the Purchaser/Recipient to cooperate with all authorized Government representatives to verify the existence and condition of MLI/CCLI.

SECTION IV. CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB

1. I do certify that all information given in this Statement Regarding Disposition and Use of Property is true and correct to the best of my knowledge and belief and have not knowingly omitted any information which is inconsistent with this statement. I understand this statement will be referred to and be a part of the contract of sale/exchange with the U.S. Government. I agree to submit a written request for amendment of this statement to the Approving Official prior to effecting any change of fact or intention from that stated herein or in any prior amendment, whether occurring before or after the release of the commodities, and not to effect such changes without first receiving written approval of the Approving Official.

2. I acknowledge having been advised that the MLI/CCLI property I purchased is controlled by the U.S. Government and in many cases cannot be transferred (exported, sold or given) to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident without a valid State/Commerce Department export authorization. Should I transfer this property to a foreign country, a non-U.S. Citizen/National or a non-Permanent US Resident, I will obtain any required authorization before making such transfers. I will not transfer this property to countries, regimes and nationals targeted under the sanctions program administered by the U.S. Treasury Department's Office of Foreign Assets Control.

3. Neither the applicant, corporate officers, directors or partners is:

A. The subject of an indictment for or has been convicted of violating any of the U.S. Criminal statutes enumerated in 22 CFR 120.27 since the effective date of the Arms Export Control Act, Public Law 94-329, 90 Stat. 729 (June 30, 1976) ; or

4. The person signing this DLA Form 1822 is:

- a Citizen of the United States of America, or
- lawfully admitted to the United States for Permanent Residence and maintains such residence under the Immigration and Nationality Act, as amended (8 USC 1101(a), 20, 60 Stat. 163) , or
- a Citizen of _____, and/or
- is an official of a foreign government entity in the United States.

A. NAME (Type or print)	B. SIGNATURE	C. DATE SIGNED
-------------------------	--------------	----------------

PRIVACY ACT STATEMENT

AUTHORITY: 10 USC 136; 40 USC 471; 50 USC 2411; 22 USC 2751; and EO 9397.
PRINCIPAL PURPOSE(S): Determine applicant eligibility to participate in the program and ensure that property recipients comply with the terms of the sale.
ROUTINE USES: Data may be disclosed to the Departments of State, Commerce, Treasury, Transportation and Justice for determining compliance with applicable laws and regulations and to the General Services Administration to determine presence of debarment proceedings against a recipient.
DISCLOSURE: Voluntary; however, failure to provide the requested information may result in ineligibility to receive surplus or foreign personal property. DLA PRIVACY ACT SYSTEM NOTICE S800.10 DLSC APPLIES - SEE THIS NOTICE FOR FURTHER INFORMATION.

INSTRUCTIONS FOR COMPLETING DLA FORM 1822, END-USE CERTIFICATE (12/14/01)

All individuals wanting to acquire Department of Defense surplus property, identified as Munitions List Items (MLI) or Commerce Control List Items (CCLI), are required to fully complete this End-Use Certificate (EUC), DLA Form 1822. It is your responsibility to fully and accurately complete this form. The use of "home made" EUCs is discouraged because they are not covered under the Paperwork Reduction Act. Due to the critical nature of this document, failure to comply with any of these instructions and/or accurately provide the required information will result in this EUC being deemed unacceptable and will cause significant delay or denial in obtaining the Trade Security Control (TSC) clearance required to receive MLI/CCLI property.

All entries must be typed or clearly printed. When providing the required information and additional space is needed, the use of a separate sheet of paper is acceptable. At the top of each additional sheet of paper you must place your name and the IFB/Contract no./Offer No./Standard Form-122/Standard Form-123 Order No. You must also cite the appropriate block number(s) and/or letter(s) for each entry.

Every block on the EUC must have an entry. If the information being requested does not apply to your situation, the only entries which will be acceptable are: "NONE", "DOES NOT APPLY", or "NOT APPLICABLE" (do not use N/A, N/R or draw a line). If you have to repeat information that was previously entered in another block, cite the SECTION, block number and/or letter; i.e., "SAME AS SECTION 'X', BLOCK 'X'". The Approving Official (Sales Contracting Officer, Plant Clearance Officer, or other designated individual) will review the EUC for completeness and accuracy.

PAGE 1

AT TOP OF PAGE IFB/CONTRACT/OFFER/SF122/SF123 ORDER NO:

Enter the number (if not pre-printed) of the Invitation For Bid (IFB), contract/offer, proposal number, order number, etc. that is used to identify the specific sale or exchange.

1. THIS STATEMENT IS SUBMITTED IN CONNECTION WITH:

Place and "X" in the block that best identifies the type of transaction you are entering into:

- SALE - purchasing property from the Defense Reutilization and Marketing Service or the Defense Contract Management Agency.
- EXCHANGE - an agreement with a Military Service Museum to exchange property for agreed upon property or /services.
- OTHER - for those transactions that are not a sale or exchange and where title to property may or may not pass from government control.

2. LINE ITEM NUMBER/COMMODITY:

Enter the line item number for each MLI/CCLI item you are interested in acquiring.

For negotiated exchanges, or other types of transactions, enter the name or nomenclature of the property that you will be receiving upon completion of the negotiations.

3. NAME (Last, First, Middle): This should be the name of the individual who signing this form. Please print/type your complete legal name legibly. Provide last name, complete first name (initials for first name will not be accepted) and middle name (if any). If you do not have a middle name, use NMN (No Middle Name). Include any other names ever used (i.e., maiden name, nicknames, acronyms, aliases, doing business as (DBA) and/or "also known as (AKA)" name(s).)

If an individual is bidding for himself or herself, that individual's name must be provided in this block.

If the bid is for a business, the individual authorized to sign this EUC must provide his/her name in this block.

4. SOCIAL SECURITY NUMBER (SSN)/ALIEN CARD NO./COUNTRY ID:

If the bid is for an individual, that individual's SSN must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their SSN in this block.

If the bid is in the name of a Permanent Resident, enter your Alien Identification Number.

If the bid is in the name of a Non-U.S. Citizen/National, non-Permanent Resident acting for a foreign government, enter your Country Identification Number

5. DATE OF BIRTH (DoB): Enter DoB as Month/Day/Year (MM/DD/YYYY).

If the bid is for an individual, that individual's Date of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Date of Birth in this block.

6. PLACE OF BIRTH (City or County, State, Country): City/County name must be spelled out. Only the two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's Place of Birth must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their Place of Birth in this block.

7. TELEPHONE NUMBER: (Include Area Code).

If the bid is for an individual, that individual's telephone number (including Area Code) must be provided in this block.

If the bid is for a business, the individual signing this EUC must provide their telephone number (including Area Code) in this block.

8. MAILING ADDRESS: Enter complete mailing address. Street and City names must be spelled out; abbreviations are unacceptable. Post Office Box is acceptable. The two-letter or standard abbreviation for the State or Country is acceptable.

If the bid is for an individual, that individual's mailing address must be provided in this block.

If the bid for a business, the business's mailing address must provide in this block.

9. PHYSICAL ADDRESS: Enter complete physical address. Street and City names must be spelled out; abbreviations are unacceptable. The two-letter or standard abbreviation for the State or Country is acceptable. Entering Post Office Box is not acceptable.

If the bid is for an individual, that individual's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

If the bid is for a business, the business's physical address (Street, City, State, Zip) must be provided in this block. If the physical address is the same as mailing address (not a Post Office Box), enter "Same as MAILING ADDRESS".

SECTION I. GENERAL INFORMATION

10. BLOCK 1. TYPE OF FIRM:

If the bid is for an individual, enter "Not Applicable".

If the bid is for a business, check the box that most closely describes the organization:

- "Sole Proprietorship" = solitary owner/independent control
- "Partnership" = two or more persons contractually associated as joint principals in a business with joint rights and responsibilities.
- "Corporation" = an association or group of individuals united in trade or similar interests that has filed Articles of Incorporation.
- "Other" = (The signer of this EUC must check "Other" and specify affiliation with official bidder.)
 - = Principal (Person having controlling authority)
 - = Agent (Person acting for or in place of another by authority from him).

If the "Type of Firm" is a corporation, provide the state in which the Articles of Incorporation were filed. The two-letter standard abbreviation for the state or country is acceptable.

11. BLOCK 2. NATURE OF END-USER'S BUSINESS:

This should best describe the type business/interest of the ultimate end-user.

12. BLOCK 3 - NATURE OF PRINCIPAL'S BUSINESS

This should best describe the type business/interest of the official bidder.

13. BLOCK 4 - FIRM'S ID/FEDERAL TAX NUMBER:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name and that company does not have a Federal Tax Number but is using some other form of tax identifying number (i.e., a personal SSN) list that number and specify (i.e., SSN registered to (provide name)).

BLOCK 5 - BUSINESS/CORPORATION HEADQUARTERS

14. BLOCK 5A - NAME:

If bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the official company headquarters name in this block (include aliases/acronyms/trade styles).

15. BLOCK 5B - ADDRESS:

Give full physical address. Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter (or standard) abbreviation for State or Country is acceptable.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address of company headquarters. (Post Office Box is unacceptable).

BLOCK 6 - BRANCH OFFICE:

16. BLOCK 6A - NAME:

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is in a company name, the individual signing this EUC must provide all official company branch name(s) in this block (include aliases/acronyms/trade styles).

If the official company branch and headquarters' names are the same, enter "Same as Block 5A".
 If the bid is in a company's name and there is no branch office for this company, enter "Not Applicable".

17. BLOCK 6B - ADDRESS: Street and City names must be spelled out; abbreviations are unacceptable. Only two-letter or standard abbreviation for State or Country is acceptable.

If the bid is in the name of an individual and there are no branch offices, enter "Not Applicable".

If the bid is in a company's name, the individual signing this EUC must provide the complete physical address (Street, City, State, and Zip) of all company branch office(s). (Post Office Box is unacceptable).

If company's branch and headquarters offices use the same address, enter "Same as Block 5B"

If there are no branch offices, enter "Not Applicable".

18. BLOCK 7 - ON SEPARATE SHEETS OF PAPER, ATTACH THE NAMES, ADDRESSES, SSNs, DATES AND PLACES OF BIRTH OF CORPORATE

OFFICERS, PARTNERS AND/OR AGENTS.

Failure to comply will cause your transaction to be placed on hold or not considered.

If the bid is in the name of an individual, enter "Not Applicable".

If the bid is for a company, the required information for each of the Officers, Directors, and Partners is to be on separate sheets of paper.

SECTION II. END-USERS/USER INFORMATION

If this is a negotiated exchange, identify the item(s) you will be providing the government in this exchange:

BLOCK 1 - PURPOSE. THE PROPERTY REFERRED TO IN ABOVE IFB/OFFER NUMBER WILL BE UTILIZED FOR THE FOLLOWING:

Enter an "X" in the appropriate item(s) below. In the case of resale, item 1F or 1G must be marked in addition to any other item.

19. BLOCK 1A. RETENTION FOR THE FOLLOWING SPECIFIC USE (see note at bottom of page 1 of this form)

If property is being retained for official bidder's own use, explain intended use.

If statement in Block 1A does not apply, enter "Not Applicable" and go to Block 1B.

20. BLOCK 1B. Resold in form received for the following use (see note at bottom of page 1 of the form).

If property is being resold, give specific information about resale customer's intended use.

If statement in Block 1B does not apply, enter "Not Applicable" and go to Block 1C.

21. BLOCK 1C. The property will not be sold or otherwise disposed of for use outside of the U.S. or to non-U.S. Citizens/Nationals in the United States.

Check this box if applicable.

If statement in Block 1C does not apply, enter "Not Applicable" and go to Block 1D.

22. BLOCK 1D. The property may be re-exported in the form received to the following country/countries:

Check this box if applicable, and list the country (ies). Attach valid, current Department of State Registration (for export).

If statement in Block 1D does not apply, enter "Not Applicable" and go to Block 1E.

23. BLOCK 1E. Resale after following alteration (description of final production):

Describe the altered product;

in (Country/Countries): List all countries where this product will be sold. (If necessary use a separate sheet of paper to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

and distribution in (Country/Countries): List all countries where this product will be distributed. (If necessary use a separate sheet to list countries. Identify this as "BLOCK 1E" on the sheet of paper).

Attach valid, current Department of State Registration (for export).

If this statement does not apply to you, enter Not Applicable and go to Block 1G.

24. BLOCK 1F. If sold, name, address, and telephone number of sub-purchaser(s):

Provide the full name, physical address and telephone number of the individual/company that purchased the item(s).

If this block does not apply to you, enter Not Applicable.

25. BLOCK 1G. The customers are unknown at this time. If required by the contract/offer, I will obtain prior written approval for the resale of any of the property covered by this contract.

If this block does not apply to you, enter Not Applicable.

26. ADDITIONAL INFORMATION: State any other material facts relating to end user and use of the property that may be of value in considering the proposal:

If this block does not apply to you, enter Not Applicable.

PAGE 2
SECTION III - UNDERSTANDING AND NOTIFICATION

Please read carefully. This section cites the various laws and regulations you must comply with in the use of, disposition of and export of property.

SECTION IV - CERTIFICATION STATEMENT TO BE SIGNED BY BIDDER AT TIME OF RESPONSE TO IFB.

This section is self-explanatory. By signing and dating this form, you are certifying that all the information you are providing is true and correct and you understand and agree to all the provisions in this end use certificate. This form will become part of the contract.

26. PARAGRAPH 4. The person signing this DLA Form 1822 is:
Check the block that applies to you and fill out any applicable portion.

28. BLOCK A - NAME (Type or Print)
Be sure your name is legible.

29. BLOCK B - SIGNATURE Be sure to sign this form
If signer of EUC is Officer, Director, Partner, Principal, Agent, etc., for official bidder, provide title/authority.

30. BLOCK C - DATE SIGNED Be sure you date this form.